Annexure-V

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2026-2027

Clinical Material in Hospital

Name of College/Institute.GURU GOVIND SINGH MEMORIAL SCHOOL OF NURSING
Faculty. NURSING

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum100 bedded own/parent Hospital (Affiliatedhospitalmustbe50beddedor more.) **To be made available on web site**	Yes	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: **Copy to be made available on web site**	Yes	Adequate
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual ……	Yes	Adequate
c.	Average Bed Occupancy in % : (Minimum 75%) ……	Yes	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)	Yes	Adequate
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	verified	

- **As per Central Council Norms/ University Norms, above Infrastructure must be available at College.**
- **If Infrastructure is available, then mark "Adequate"& do not attach any Documents it should be available on college website**
- **In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report**

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief

Any Other, Please Specify:-

Date:- 2/2/2026.

Dean/ Principal Stamp & Signature
Principal
Guru Govind Singh Memorial
School of Nursing, Nanded.

Chairman of LIC

Member Of LIC

Member Of LIC

Scanned with OKEN Scanner
Scanned with OKEN Scanner

NAME OF INSTITUTE:- GURU GOVIND SINGHJI MEMORIAL SCHOOL OF NURSING, NANDED

PARENT AND AFFILIATED HOSPITAL BED DISTRIBUTION INFORAMATION

NAME OF THE HOSPITAL	MEDICAL	SURGICAL	PEDIATRIC	GYNE & OBG	PSYCHIATRIC	ORTHO	ENT	CCU/ICU	NEPHROLOGY	NEUROLOGY	EMERGENCY	ONCOLOGY	TOTAL
PARENT HOSPITAL BED DISTRIBUTION INFORAMATION													
LOTUS HOSPITAL	30	20	10	2	0	10	3	10	5	5	5	0	100
KATTE HOSPITAL	0	0	0	60	0	0	0	0	0	0	0	0	60
Total Bed's													160
AFFILIATED HOSPITAL BED DISTRIBUTION INFORAMATION													
VISION HOSPITAL	10	10	10	0	0	10	5	10	5	5	10	5	80
KAKANDIKAR HOSPITAL	10	10	10	0	0	10	5	10	5	5	10	5	80
BENDRIKAR BAL RUGNALAY	5	10	35	0	0	0	5	10	0	0	5	0	70
VITHAI HOSPITAL	10	10	10	10	0	5	0	3	5	0	3	0	80
MANAS HOSPITAL	0	0	0	0	60	0	0	0	0	0	0	0	60
RENUKAI MULTISPECIALITY	0	10	10	40	0	0	0	0	0	0	5	0	65
ANKUR HOSPITAL	5	5	35	5	0	0	0	0	0	0	0	0	60
MARATHWADA HOSPITAL	5	5	35	5	0	0	0	0	0	0	0	0	70
CHIDRAWAR HOSPITAL	10	10	5	6	0	15	0	4	0	0	0	0	70
APEKSHA HOSPITAL	5	5	0	55	0	0	0	0	0	0	5	0	70
JOSHI HOSPITAL	0	0	0	0	70	0	0	0	0	0	0	0	70
Total Bed's	60	75	150	121	130	40	15	37	15	10	38	10	775

Scanned with OKEN Scanner



महाराष्ट्र MAHARASHTRA © 2022 © 50AA 918806

प्रतिज्ञापत्रासाठी (अफिडेव्हिट-साठी) only for affidavit (Affidavit)

मेमोरँडम ऑफ अंडरस्टँडिंग

मुद्रांक विक्रेता
बेगान्यार्था सही

NOTARY
Adv. Raju N.Shrangare
Dist.Nanded.
R.No.11105
GOVERNMENT OF INDIA

MEMORANDUM , OF UNDERSTANDING

Party No 01 Deepganga Magaswargiya Shikshan Prasark Mandal , Through Dr Sanjay Padalwa President

Party No 02 Guru Govind singh Memorial College Of Nursin(M.ScNursing,P.B.B.Sc Nursing ,B.Sc Nursing)

PRINCIPAL
GURU GOVINDSINGH
MEMORIAL SCHOOL OF NURSING
NANDED.

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

Name Of The Hospital:- Lotus Hospital , Nanded

Name Of Person From Undertaking Takan:- Dr. Sanjay Padalwar.

Owner Of Lotus Hospital & President

Deep Ganga Magaswargiya Shikshan

PrasarkMandal ,

I Dr. Sanjay Padalwar President Deep Ganga Magaswargiya Shikshan Prasark Mandal And Owner Of Lotus Hospital is giving Undertaking That Lotus Hospital Will Function as a Parent Hospital Till the life of Guru Govind singh Memorial College Of Nursing (M.Sc Nursing, P.B.B.Sc Nursing B.Sc Nursing) Lotus Hospital In not Affillated With Any Other Nursing Institute.

All the above furnished information are true for my knowledge.

Date:-

Place:-

Dr. Sanjay Padalwar
President
Deepganga Magaswargiya Shikshan
Prasarak Mandal,Nanded

6 AUG 2024

"BEFORE ME"

Raju N. Shrangare
Advocate & Notary
(Appointed by Govt.of India)
Dist.Nanded. (M.S.) India

NOTARY
Adv. Raju N.Shrangare
Dist.Nanded.
R.No.1110
GOVERNMENT OF INDIA

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

नांदेड वाघाळा शहर महानगरपालिका,नांदेड

महानगरपालिका भवन, श्री. गुरु गोबिंदसिंघजी स्मारक रुग्णालयासमोर, नांदेड - ४३१ ६०२

आपली सेवा आमचे कर्तव्य
YOUR SERVICE IS OUR DUTY

दूरध्वनी : 02462-234710, 234577 **संकेत स्थळ :** www.nwcmc.gov.in **इ मेल :** info@nwcmc.gov.in

महाराष्ट्र सुश्रुषा गृह नोंदणी अधिनियम १९४९ व सुधारीत नियम २०२१ च्या कलम ५ अन्वये दिलेले

नोंदणी प्रमाणपत्र

Certificate of Registration under Section 5 of the

(नियम 5 अन्वये) (Under Rule 5)

महाराष्ट्र सुश्रुषा गृह नोंदणी अधिनियम १९४९ व सुधारीत नियम २०२१ च्या कलम ५ अन्वये श्री / श्रीमती Dr Sanjay Padalwar यांचे Lotus Hospital and Critical Care Centre येथील सुश्रुषा गृह / प्रसुती गृह नोंदणी केले असून सदरचे सुश्रुषा गृह व प्रसुतीगृह चालविण्यास परवाना देण्यात येत आहे.

This is to Certify that Shri Shrimati Dr Sanjay Padalwar has been registered under Bombay Nursing Homes Registration Act, 2021 in respect of Lotus Hospital and Critical Care Centre Situated at Doctor Lane Nanded and has been authorised to carry on the said Nursing Home.

नोंदणी क्रमांक	:102	प्रसुती खाटांची संख्या	
Registration No	:102	Maternity No. of Coats	: 2
नोंदणी दिनांक	:08-05-2025	इतर रुग्णांसाठी खाटांची संख्या	
Date of Registration	:08-05-2025	Other Nursing Patients No. of Coats	: 98
ठिकाण	:नांदेड		
Place	:Nanded	Total	: 100
प्रमाणपत्र दिल्याचा दिनांक	:08-05-2025		
Date of issue of Certificate	:08-05-2025		

सदरच्या प्रमाणपत्राची वैधता दिनांक पर्यंत 31-03-2028 राहील.

This Certificate Shall be valid up to 31-03-2028

S. Bisen

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: http://mpcb.gov.in
Email: pso@mpcb.gov.in

Kalpataru Point, 2nd, 3rd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

RED/S.S.I
No:- Format1.0/PSO/UAN No.MPCB-CONSENT-0000189353/CO/2409001903

Date: 30/09/2024

To,
Lotus Hospital
Doctor Plaza 2nd Floor , Doctor Lane
Nanded-431601
Email:shahedsayed111@gmail.com
Contact No.:7057981987

LiFE Lifestyle for Environment
Your Service is Our Duty

Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref:
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board dated 10/08/2021.
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 02/12/2023
3. Information called through mail dated 02/08/2024
4. SCN for refusal issued on 16/08/2024
5. Information submitted on 17/08/2024
6. 12% interest paid on 28/09/2024
7. Your letter dated 30/09/2024.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Consent to Establish and Consent to 1st Operate & Bio Medical Waste Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **09-12-2023** To **08-12-2026**
2. The capital investment of the HCF is **₹169.27** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 1475.00 M^2 with Built-up area 929.00 M^2.
4. **Activities Included**

   a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 102 valid upto 31-03-2025)

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

5. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 20 M^3/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. **Conditions under the Air (P&CP) Act,1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	As per Actual	MT/M	CHWTSDF

8. **Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. **Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. As per your application, the laundry activity is outsourced. Therefore, you are strictly prohibited from conducting any laundry activity within the premises of your facility
18. You shall ensure that the hospital operates with a valid registration under the Bombay Nursing Home (BNH) Act and holds an active membership with a Common Biomedical Waste Treatment Facility (CBWTF). Failure to maintain valid BNH registration and/or CBWTF membership may attract revocation of this CCA without prior notice.
19. The 50% of the Bank Guarantee i.e. Rs.1.00 Lakh is eligible for forfeiture due to not installing STP of adequate capacity. You shall top up with a double Bank Guarantee. You shall install STP of adequate capacity within Three Months. Failure to install STP within the stipulated period may attract revocation of this CCA.
20. You shall submit the bank guarantee of Bank Guarantee of Rs.5.00 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Aurangabad within 15days. Non submission of B.G. in specified time shall attract 12% interest as per Board Circular dated 29/02/2024.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.

6ecf6d7d
78f36196
37a1b384
5074 3ac4
d26e9cc9
36e7e6a3
e14287e2
cb2f2929

Signed by: Dr.Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of
Maharashtra Pollution Control Board
2024-09-30 19:38:27 IST

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	30000.00	TXN2312000280	02/12/2023	Online Payment
2	16500.00	TXN2405004278	22/05/2024	Online Payment
3	113227.00	TXN2409003850	28/09/2024	Online Payment

Copy to:

1. Regional Officer, MPCB, Chhatrapati Sambhajinagar and Sub-Regional Officer, MPCB, Nanded

- Regional Officer, MPCB,Chh. Sambhaji Nagardirected to ensure the submission of fresh Bank Guarantee by CBWTF as specified in Schedule III of CCA within 15 days. If failed recover 12% interest as per board circular dated 29/02/2024.

  Sub Regional Officer , Nanded directed to ensure the compliance of the CCA conditions.

2. Chelf Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	20.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	16.0	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the permises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG SET(125 KVA)	Diesel	12.00 Ltr/Hr	3.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
   a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
   b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
   c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
   d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
   e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
   f. D.G. Set shall be operated only in case of power failure.
   g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
   h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No.	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	18.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	290.00		
		d) Expired or Discarded Medicines	10.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	10.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for incineration.
2	Red	Contaminated waste (Recyclable)	80.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
3	White (Translucent)	Waste sharps including Metals	80.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
4	Blue	a) Glassware	40.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
		b) Metallic body implants	10.00		

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

SCHEDULE-II

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec. including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Chhatrapati Sambhajinagar and uploading the same to MPCB Portal (https://www.ecmpcb.in/).

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Chhatrapati Sambhajinagar.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

GOVT. OF MAHARASHTRA

Public Health Department

(PRE-CONCEPTION AND PRE-NATAL DIAGNOSTIC TECHNIQUES)
(PROHIBITION OF SEX SELECTION)
(From B Rules 6(2) 6(5) and 8(2))
(To be issued in Duplicate)

CERTIFICATE OF REGISTRATION

1. In exercise of the powers conferred under sec 19(1) of the Pre-natal Diagnostic Techniques (Regulation and Prevention of Misuse) Act, 1994 (57 of 1994), the Appropriate Authority.

Shri. Gisem Surasakshinh

MEDICAL OFFICER OF HEALTH, Nanded Waghala City Municipal Corporation, Nanded

hereby grants registration to the ~~Genetic Counselling Centre*/ Genetic Laboratory*~~/Genetic ~~Clinic*~~/ Ultrasound Clinic*/ ~~Imaging Centre*~~ named below for purpose of carrying out Genetic ~~Counselling~~./Pre-natal Diagnostic Procedures*/Pre-natal Diagnostic Tests/ Ultrasonography under the aforesaid Act for a period of five years ending on 25.09.2013.

2. This Registration is granted subject to the aforesaid Act and Rules thereunder and any contravention thereof shall result in suspension or cancellation of this Certificate of Registration before the expiry of the said period of five years, apart from prosecution.

A. Name and address of the ~~Genetic Counselling Centre*~~/ Genetic Laboratory*/ Genetic Clinic*/ Ultrasound Clinic*/ ~~Imaging Centre*~~ Lotus Hospital and Critical Care Centre, Doctor's Plaza Building, Doctors Lane, Nanded. Dr. Pokalwar Srinivas G.M.C.(Med) Dr. Padlwar Sanjay G.M.C.(Med) Dr. Udgire Prashant G.M.C.(Med) Dr. Ghante Rahul G.M.C.(Anes) Dr. Ghorali Anil G.M.C.(Med) Dr. Patwe Rahul G.M.C.(Gen. Surg.)

B. Pre-natal diagnostic procedure approved for (Genetic Clinic)

Non-Invasive

(i) Ultrasound Invasive
(ii) Amniocentesis
(iii) Chorionic villi biopsy
(iv) Foetoscopy
(v) Foetal skin or organ biopsy
(vi) Cordocentesis
(vii) Any other (specify)

C. Pre-natal diagnostic tests* approved (for Genetic Laboratory)

(i) Chromosomal studies (ii) Biochemical studies (iii) Molecular studies

D. Any other purpose (please specify) 2D Echo

3. Model and make of Equipments being used (any changes is to be intimated to the Appropriate Authority as per rule 13). Fujifilm Sonosite EDGE II Sr.No. 9532260, CMRC No. MH/NDC/0344

4. Registration No. allotted ~~Under/~~ NDC/ 94 /dt. 15.09.2008

5. Period of validity of ~~Certificate~~ of Registration. From 29.09.2008 to 25.09.2013
(For renewed certificate of Registration only).

Name of Owner :

Date :- 08.09.2013

SEAL

Signature & Name & Designation
of the Appropriate Authority

Appropriate Authority or Medical Officer of Health
Nanded Waghala City Municipal Corporation
NANDED.

PRINCIPAL
GURU GOVINDSINGH
MEMORIAL SCHOOL OF NURSING

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

Sonography Machine Registration Certificate

(M.R.C)

Sonography Machine Registration No:- .MH/NDC/0344

1) Name of the owner of Center:- LOTUS HOSPITAL AND CRITICAL CARE CENTER

2) Address:- 2nd FLOOR , DOCTOR'S PLAZA DOCTOR'S LANE NANDED.

3) Sonography Clinic/Genetic Clinic Registration No:- USG/NWCMC/ 94/Date:- 15/09/2008

4) Total No.of Sonography Machines:- 1

5) Details Sonography Machine :-

6) Name of manufacturing company :- FUJIFILM SONOSITE

7) Make of machine :- USA

8) Model of machine :- SONOSITE EDGE II

9) Serial no.of machine :- Q5ZZ6Q

10) Name of dealer :- FUJIFILM SONOSITE

11) Date of purchase of machine :- 27/06/2023

12) Name of previous owner if used machine is purchased/or received as donations :- NA

13) Date of purchase from previous owner/donor:- NA

14) Status of machine:- working/Out of order/Condemned/Sealed/working but unused/other :- Working

Date of Issue of certificate:- 17.07.2023

Authenticated By

Signature of Owner

Name Sanjay V. Padalwar

LOTUS HOSPITAL & CRITICAL CARE CENTRE

Appropriate Authority of Medical Officer of Health Nanded Waghala City Municipal Corporation

NANDED.
Appropriate Authority

PRINCIPAL
GURU GOBINDSINGH MEMORIAL SCHOOL OF NURSING
NANDED

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner



महाराष्ट्र MAHARASHTRA © 2022 © 50AA 918807

जाहिरनामा-१

MEMORANDUM , OF UNDERSTANDING

Party No 01	DeepgangaMagaswargiyaShikshan PrasarkMandal , Through Dr Santosh Katte Secretary
Party No 02	Guru Govind singh Memorial College Of Nursin(M.ScNursing,P.B.B.Sc Nursing ,B.Sc Nursing)

NOTARY Adv. Raju N.Shrangare Dist.Nanded. R.No.11195 GOVERNMENT OF INDIA

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 02462 - 242492
Fax: 02462 - 242492
Website: http://mpcb.gov.in
Email: sronanded@mpcb.gov.in

Lahoti Complex, 2nd Floor,
Near Shivaji Statue,
Vajirabad, Nanded - 431601

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization

Date: 21/04/2023

ORANGE/S.S.I
No:- Format1.0/SRO/UAN No.0000161929/CO/2304001437

To,
KATTE HOSPITAL
Plot NO. 91, BESIDE MARATHWADA BAL RUGNALAYA, BORBON AREA, NADED,
-431601
Email:kattehospital@gmail.com
Contact No.:7588150921

Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization dated 09/02/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant of Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **28-02-2023** To **28-02-2027**

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	1.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards for discharge	Disposal
1	Domestic Sewage	1	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge standards applicable
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.

b503f1b6
98a3f24b
ad23513d
1eddc1c7
29cf1dc3
1ec8c55e
cd60d4e7
62fcb392

Signed by: Shri. R. U. PATIL
Sub Regional Officer
For and on behalf of
Maharashtra Pollution Control Board
2023-04-21 17:19:22 IST

d Co... ...fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	3000.00	TXN2302001624	09/02/2023	Online Payment

Copy to:

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Nanded
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Chelf Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

नांदेड वाघाळा शहर महानगरपालिका,नांदेड

महानगरपालिका भवन, श्री. गुरु गोबिंदसिंघजी स्मारक रुग्णालयासमोर, नांदेड - ४३१ ६०२

दूरध्वनी : 02462-234710, 234577 संकेत स्थळ : www.nwcmc.gov.in ई मेल : info@nwcmc.gov.in

महाराष्ट्र सुश्रुषा गृह नोंदणी अधिनियम १९४९ व सुधारीत नियम २०२१ च्या कलम ५ अन्वये
दिलेले नोंदणी प्रमाणपत्र

Certificate of Registration under Section 5 of the
(नियम 5 अन्वये) (Under Rule 5)

महाराष्ट्र सुश्रुषा गृह नोंदणी अधिनियम १९४९ व सुधारीत नियम २०२१ च्या कलम ५ अन्वये श्री / श्रीमती Dr. SANTOSH GURUBASAPPA KATTE यांचे katte maternity hospital येथील सुश्रुषा गृह / प्रसुती गृह नोंदणी केले असून सदरचे सुश्रुषा गृह व प्रसुतीगृह चालविण्यास परवाना देण्यात येत आहे.

This is to Certify that Shri Shrimati Dr. SANTOSH GURUBASAPPA KATTE has been registered under Bombay Nursing Homes Registration Act, 2021 in respect of katte maternity hospital Situated at BORBAN GOVARDHAN GHAT NANDED and has been authorised to carry on the said Nursing Home.

नोंदणी क्रमांक	:76	प्रसुती खाटांची संख्या	
Registration No	:76	Maternity No. of Coats	: 6
नोंदणी दिनांक	:13-03-2025	इतर रुग्णांसाठी खाटांची संख्या	
Date of Registration	:13-03-2025	Other Nursing Patients No. of Coats	: 3
ठिकाण	:नांदेड		
Place	:Nanded	Total	: 9
प्रमाणपत्र दिल्याचा दिनांक	:13-03-2025		
Date of issue of Certificate	:13-03-2025		

सदरचे प्रमाणपत्री दिनांक पर्यंत 31-03-2028 राहील.
This Certificate Shall be valid up to 31-03-2028

S.D.H.O

वैद्यकिय आरोग्य अधिकारी,
नांदेड वाघाळा शहर महानगर पालिका, नांदेड
Medical Health Officer
Nanded Waghala City Municipal Corporation, Nanded.

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

भारतीय गैर न्यायिक

एक सौ रुपये

Rs. 100

रु. 100

ONE HUNDRED RUPEES

भारत INDIA

INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA

€ 2024 €

33AB 168738

Treasury Office Nanded
14 JUN 2024
Stamp Head Clerk
NANDED

NOTARY
Adv. Rahul Pingale
Jalba
Dist. Nanded
R.No.31495
GOVERNMENT OF INDIA

MEMORANDUM OF UNDERSTANDING

Party No. : Vision Multispecialty Hospital

Through Dr. Sachin Tukamram Sarode

Party No.2 : Deep Ganga Magaswargiya Shikshan

Prasarak Mandal, Nanded.

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

That Party no 01 is running hospital name Vision Multispecialty Hospital & party no 02 is having trust / society name as Deepganga Magaswargiya Shikshan Prasark Mandal, Nanded .That Party No 01 giving permission to that student of party no 02 Guru Govind singh Memorial School Of Nursing(B.Sc Nursing, P.B.B.Sc Nursing, M.Sc Nursing,) Under Deepganga Magaswargiya Shikshan Prasark Mandal, For Clinical Permission in Vision Multispecialty Hospital For five Year.

That above MOU is written by party no 01 & Party

No 02 with free Will

Party no 01:- Vision Multispecialty Hospital

Party no 02:- Guru Govind singh Memorial College Of Nursing(B.Sc Nursing, P.B.B.Sc Nursing, M.Sc Nursing,)

Dr .Sanjay V Padalwar

1 FEB 2025

"BEFORE ME"

Rathore Punjaram Jalba
Advocate & Notary
Appointed by Govt.of India
Nanded (M.S.) India

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

नांदेड वाघाळा शहर महानगरपालिका, नांदेड.
NANDED WAGHALA CITY MUNICIPAL CORPORATION, NANDED.

महाराष्ट्र सुश्रुषा गृह नोंदणी सुधारीत नियम 2021 कलम 5 अन्वये दिलेले नोंदणी प्रमाणपत्र
Certificate of Registration under Section 5 of the
(नियम 5 नमुना) (Under Rule 5)

महाराष्ट्र सुश्रुषा गृह नोंदणी सुधारीत नियम 2021 अन्वये श्री / श्रीमती Dr.Sachin Tukaram Sarode यांचे Vision Multispeciality Hospital येथील सुश्रुषा गृह / प्रसूती गृह नोंदणी केले असून सदरचे सुश्रुषा गृह व प्रसूतीगृह चालविण्यास परवानगी देण्यात येत आहे.

This is to Certify that Shri Shrimati Dr.Sachin Tukaram Sarode has been registered under Bombay Nursing Homes Registration Act, 2021 in respect of Vision Multispeciality Hospital Situated at Wadiya factory shivaji nagar nanded and has been authorised to carry on the said Nursing Home.

नोंदणी क्रमांक	: 430	प्रसूती खाटांची संख्या	
Registration No	: 430	Maternity No. of Cots	: 5
नोंदणी दिनांक	: 15-04-2024	इतर रुग्णांसाठी खाटांची संख्या	
Date of Registration	: 15-04-2024	Other Nursing Patients No. of Cots	: 40
ठिकाण	: नांदेड		
Place	: Nanded	Total	: 45
प्रमाणपत्र दिल्याचा दिनांक	: 16-04-2024		
Date of Issue of Certificate	: 16-04-2024		

सदरचा प्रमाणपत्राची वैधता दिनांक पर्यंत 31-03-2027 राहील.
This Certificate Shall be valid up to 31-03-2027

वैद्यकीय आरोग्य अधिकारी,
नांदेड वाघाळा शहर महानगरपालिका, नांदेड
Medical Health Officer
Nanded Waghala City Municipal Corporation, Nanded.

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

दा.क्र.सं/आस्था/कार्या.क्र.3/ /2023/2022
नांदेड वाघाळा शहर महानगरपालिका, नांदेड
दिनांक 16/01/23

अनुज्ञप्ती नमुना
महाराष्ट्र महानगरपालिका अधिनियम
(चे कलम - 330, 331, 376 ते 386 अन्वये)

1) नोंदणी क्रमांक : जी-00/2023
2) संस्थेचे संपूर्ण नाव : क्विजन मल्टीस्पेशालिटी हॉस्पीटल
3) संस्थेच्या मालकाचे संपूर्ण नाव व राहण्याचा पत्ता : डॉ सचिन तुकाराम सरोदे
संस्थेचे स्वरूप : शिवाजीनगर, नांदेड
4) संस्थेचा संपूर्ण पत्ता : मल्टीस्पेशालिटी हॉस्पीटल
: शिवाजीनगर, नांदेड



प्रमाणीत करण्यात येते की, डॉ सचिन तुकाराम सरोदे यांनी महानगरपालिका अधिनियमाच्या नियमान्वये क्विजन मल्टीस्पेशालिटी हॉस्पीटल या महानगरपालिका क्षेत्रात करण्याचा परवाना देण्यात येतो.

सहाय्यक आयुक्त
क्षेत्रिय कार्यालय क्र.3 शिवाजीनगर
नांदेड वाघाळा शहर महानगरपालिका, नांदेड

संस्थेचे नोंदणी/ नुतरणीकरण

अनु क्र.	नुतनीकरण वर्ष	पावती क्र. दिनांक	भरलेले शुल्क	स्वाक्षरी	प्रभाग क्र.
	01.04.2022 ते 31.03.2025	21/349 दि. 16.01.2023	रुपये 27820/-	सहाय्यक आयुक्त क्षेत्रिय कार्यालय क्र.3 शिवाजीनगर नांदेड वाघाळा शहर महानगरपालिका, नांदेड	

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

महाराष्ट्र शासन

GOVERNMENT OF MAHARASHTRA

आरोग्य विभाग

DEPARTMENT OF HEALTH

NANDED WHAGHALA CITY MUNCIPAL CORPORATION, NANDED

FORM B

[See sub -rule (6) of rule 5]

CERTIFICATE OF APPROVAL

The place described below is hereby approved for the purpose of the Medical Termination of Pregnancy Act, 1971 (34 of 1971).

As read within upto...24..... weeks.

Name of the Place ...Vision....Multispeciality...Hospital.....

.....

Address and other descriptions .Madiya...factory...Area,.....

...Shivaji..Nagar...Nanded-431602.....

.....

Name of the owner...Dr:...Saxode...Sachin.....

.....

Registration No. :- 140/64

Place :- Nanded

Date :- 22.08.2024

To the Goverment of the Maharashtra State

Risen

Medical Officer of Health

Nanded Waghala City Muncipal Corproation Nanded

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0240 - 2473462
Fax: 0240 - 2473461
Website: http://mpcb.gov.in
Email:
roaurangabad@mpcb.gov.in

Paryavaran Bhavan, A - 4/1,
MIDC Area , Chikalthana,
Near Seth Nandlal Dhoot
Hospital, Jalna Road ,
Aurangabad - 431 210

ORANGE/S.S.I
No:- Format1.0/RO/UAN No.0000168818/CE/2309002043

Date: 26/09/2023

To,
VISION MULTISPECALITY HOSPITAL
,DOCTORS LANE NANDED,Nanded
,
-431602
Email:prabhakarbirhade21@gmail.com
Contact No.:9822706611

Your Service is Our Duty

Grant consent to Establish under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000168818& BMW Auth No.

2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 20/04/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. commisioning of the unit which is earlier five Year

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

2. The capital investment of the HCF is ₹59.00 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 308.00 M^2 with Built-up area 315.00 M^2.
4. **Activities Included**
   a. Total Number of Beds : **45 Nos.** (As per BNH certificate no. H0422 valid upto 16-03-2023)
      I. General Beds : **25 Nos**
      II. ICCU/ICU Beds : **15 Nos**
      III. Maternity Beds : **5 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
   1. Quantity of total water consumption shall not exceed 1 M^3/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
   2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
   3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
6. **Conditions under the Air (P&CP) Act,1981:-**
   1. You shall use the fuel for DG set as specified in the **Annexure-II.**
   2. You shall provide adequate emission control system to DG set as specified in **Annexure-II.**
   3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II.**
7. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

   You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr. No.	Waste Name	RW1 Category No.	Quantity	UOM	Disposal
		NA			

8. **Conditions under Solid Waste Management rules 2016**
   1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
   2. You shall Not mix general solid waste with Bio Medical Waste.
9. **Conditions under BMW Management rules, 2016 (As Amended):-**

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.

3cb6f79e
7fe791e2
a3492361
64be6be3
0ddf8dd1
7684afc8
a75a7acc
1044e375

Signed by: Sujit Subas Dhaifule
Regional Officer
For and on behalf of
Maharashtra Pollution Control Board
2023-04-26 18:27:51 IST

Received Consent/Authorization fee of -

Sr. No.	Amount Rs.	Transaction/DR.No.	Date	Transaction Type
1	1500.00	TXN2304002858	20/04/2023	Online Payment

Copy to:

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr.)

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
   a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
   b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
   c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
   d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
   e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
   f. D.G. Set shall be operated only in case of power failure.
   g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
   h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

SCHEDULE

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of Bio-Medical Waste (Management, Handling and Transboundary Movement) Rules, 2016 waste categories and quantities listed here in below:

Sr. No	Category	Waste	Quantity (Kg/Month)	Container/Bag	Treatment
1	Yellow	a) Human Anatomical waste	0.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	0.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	0.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
3	White (Translucent)	Waste sharps including Metals	0.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
		b) Metallic body implants	0.00		

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

SCHEDULE-II

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Aurangabad and uploading the same to MPCB Portal (https://www.ecmpcb.in/).

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No.	Activity / Condition to be Complied	Compliance Time Limit - Months	Bank Guarantee Amount
1A	**Operation and Maintenance**		
1	To Segregate and Handle BMW as per Schedule I	Continuous	10,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	**Records**		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	25,000.00
2	**Performance**		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
	Total		1,25,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Aurangabad.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Aurangabad.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used fortreatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

भारतीय गैर न्यायिक

एक सौ रुपये

Rs. 100

रु. 100

ONE HUNDRED RUPEES

भारत INDIA

INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA © 2024 © 33AB 168737

NOTARY Adv. Nilam Pangarkar Jatka Dist. Nanded R.No.31495 GOVERNMENT OF INDIA

Treasury Office Nanded

Stamp Head Clerk NANDED

MEMORANDUM OF UNDERSTANDING

Party No. : Bendrikar Bal-Rugnalaya

Through Dr. Bendrikar suhas shivaji

Party No.2 : Deep Ganga Magaswargiya Shikshan

Prasarak Mandal, Nanded.

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

That Party no 01 is running hospital name Bendrikar Bal-Rugnalaya & party no 02 is having trust / society name as Deepganga Magaswargiya Shikshan Prasark Mandal, Nanded .That Party No 01 giving permission to that student of party no 02 Guru Govind singh Memorial School Of Nursing(B.Sc Nursing, P.B.B.Sc Nursing, M.Sc Nursing,) Under Deepganga Magaswargiya Shikshan Prasark Mandal, For Clinical Permission in Bendrikar Bal-Rugnalaya For five Year.

That above MOU is written by party no 01 & Party

No 02 with free Will

Party no 01:- Bendrikar Bal-Rugnalaya

Dr. Bendrikar suhas shivaji

Party no 02:- Guru Govind singh Memorial College Of Nursing(B.Sc Nursing, P.B.B.Sc Nursing, M.Sc Nursing,)

Dr .Sanjay V Padalwar

1 FEB

NOTARY GOVERNMENT OF INDIA

BEFORE ME

Advocate & Notary

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

नांदेड वाघाळा शहर महानगरपालिका, नांदेड.
NANDED WAGHALA CITY MUNICIPAL CORPORATION, NANDED.

सन १९४९च्या मुंबई प्रसुती गृह कायद्याच्या कलम ५ अन्वये दिलेले नोंदणी प्रमाणपत्र
Certificate of Registration under Section 5 of the Bombay Nursing Homes Registration Act, 1949
(नियम ५ अन्वये) (Under Rule 5)

मुंबई सुश्रुषा गृह नोंदणी कायदा, १९४९ अन्वये श्री / श्रीमती _____

यांचे

_____ येथील सुश्रुषा गृह / प्रसुती गृह नोंदणी केले असून सदरचे सुश्रुषा गृह व प्रसुतीगृह खालिल्प्रमाणे परवाना देण्यात येत आहे.

This is to Certify that Shri / Shrimati Dr. Bendrikar Suhas Shivraj has been registered under Bombay Nursing Homes Registration Act, 1949 in respect of Bendrikar Bal-Rugnalaya situtated at Wadiya Gulbay Area and has been authorised to carry on the said Nursing Home. ShivajiNagar Nanded.

नोंदणी क्रमांक :
Registration No. 434

नोंदणी दिनांक :
Date of Registration 30.12.2020

प्रसुती खाटांची संख्या :
Maternity No. of Coats - Nil -

इतर रुग्णांसाठी खाटांची संख्या :
Other Nursing Patients No. of Coats 70

ठिकाण : Place : NANDED

प्रमाणपत्र दिल्याचा दिनांक :
Date of Issure of Certificate 27/04/23

सदरच्या प्रमाणपत्राची वैधता दिनांक ३१ मार्च.....पर्यंत राहील.
This Certificate shall be valid up to 31 March 2026

नांदेड वाघाळा शहर महानगरपालिका नांदेड

वैद्यकिय आरोग्य अधिकारी,
नांदेड वाघाळा शहर महानगरपालिका, नांदेड.
Medical Health Officer,
Nanded Waghala City Municipal Corporation, Nanded.

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0240 - 2473462
Fax: 0240 - 2473461
Website: http://mpcb.gov.in
Email:
roaurangabad@mpcb.gov.in

Paryavaran Bhavan, A - 4/1,
MIDC Area , Chikalthana,
Near Seth Nandlal Dhoot
Hospital, Jalna Road ,
Aurangabad - 431 210

ORANGE/S.S.I
No:- Format1.0/RO/UAN No.0000168818/CE/B109002043

Date: 20/02/2026

To,

BENDRIKAR BAL RUGNALAY ,
WADIA FACTORY SHIVAJI NAGAR
,NANDED
-431602
Email:
Contact No.:9822706627

LiFE
Lifestyle for Environment
Your Service is Our Duty

Grant consent to Establish under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000168818& BMW Auth No.
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 20/04/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedule(I-IV) and Annexure (I-II) enclosed in this order.

1. commisioning of the unit which is earlier five Year

Scanned with OKEN Scanner

2. The capital investment of the HCF is ₹59.00 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 308.00 M² with Built-up area 315.00 M².
4. **Activities Included**
   a. Total Number of Beds : **70 Nos.** (As per BNH certificate no. HO422 valid upto 16-03-2027)
      I. General Beds : **52 Nos**
      II. ICCU/ICU Beds : **18 Nos**
      III. Maternity Beds : **Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
   1. Quantity of total water consumption shall not exceed 1 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
   2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
   3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
6. **Conditions under the Air (P&CP) Act,1981:-**
   1. You shall use the fuel for DG set as specified in the **Annexure-II.**
   2. You shall provide adequate emission control system to DG set as specified in **Annexure-II.**
   3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II.**
7. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

   You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No.	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

8. **Conditions under Solid Waste Management rules 2016**
   1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
   2. You shall Not mix general solid waste with Bio Medical Waste.
9. **Conditions under BMW Management rules, 2016 (As Amended):-**

Scanned with OKEN Scanner

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

Water Consumption Details:-

Sr. No.	Purpose for Water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	1.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No	Parameters	Discharge Standards applicable Limiting Concentration in mg/l except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30.
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Scanned with OKEN Scanner

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

   a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.

   b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

   c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.

   d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.

   e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.

   f. D.G. Set shall be operated only in case of power failure.

   g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

   h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Scanned with OKEN Scanner

Authorization for Management of Bio-Medical Waste (Storage and Transport)

The authorization is granted for Generation and Segregation of the following waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity (Kg/Month)	Packaging	Treatment
1	Yellow.	a) Human Anatomical waste	0.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	0.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	0.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
3	White (Translucent)	Waste sharps Including Metals	0.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
		b) Metallic body Implants	0.00		

Scanned with OKEN Scanner

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Aurangabad and uploading the same to MPCB Portal (https://www.ecmpcb.in/).

Scanned with OKEN Scanner

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Aurangabad.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

Scanned with OKEN Scanner

You shall submit an official e-mail address and any change will be duly informed to MPCB.

You shall observe provisions of E-waste (Management) Rules 2016 & as amended to time and Batteries (Management and Handling) Amendment Rules, 2010.

An inspection book shall be opened and made available to the Board's officers du their visit to the HCE.

In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to standards/ SOPs applicable and waste shall be labelled specifically as "Cyto Waste" with symbol on waste containers/ bags and shall handover to BMW CT

You shall obtain required permissions from competent authority for radio ac material user/ handling/ disposal of waste before commencement of such activity.

The Energy source for lighting purpose shall preferably be LED based.

You shall harvest rainwater from roof tops of the buildings and storm water drai recharge the ground water and utilize the same for different industrial applica within the plant

You shall provide personal protection equipment as per norms of Factory Act 1948

You are responsible to submit application for renewal of Combined Conse Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

Scanned with OKEN Scanner

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.

3ca6f79e
7fe794e2
a3492368
648e6be3
0cdf8dd1
7684cfc8
a75a7ac6
1044e575

Signed by: Sujit Suhas Dholam
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
roaurangabad@mpcb.gov.in
18:27

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR No.	Date	Transaction Type
1	1500.00	TXN2304058858	20/04/2025	Online Payment

Copy to:

Scanned with OKEN Scanner

जा.क्र.नांवाशमनपा/क्षे.का.क्र.3/2560/2023
नांदेड वाघाळा शहर महानगरपालिका, नांदेड
दिनांक 24/3/23

अनुज्ञप्ती नमुना
महाराष्ट्र महानगरपालिका अधिनियम
(पै कलम - 330, 331, 376 ते 386 अन्वये)



1) नोंदणी क्रमांक : एफ-2023
2) संस्थेचे संपूर्ण नाव : बँद्रीकर बाल रुग्णालय
3) संस्थेच्या मालकाचे संपूर्ण नाव व : डॉ सुहास शिवराज बँद्रीकर
4) राहण्याचा पत्ता : पिन नं. 40301010044,शिवाजीनगर, नांदेड
संस्थेचे स्वरुप : वैद्यकीय व्यवसाय
संस्थेचा संपूर्ण पत्ता : पिन नं. 40301010044,शिवाजीनगर, नांदेड



प्रमाणीत करण्यात येते की, डॉ सुहास शिवराज बँद्रीकर यांना महाराष्ट्र महानगरपालिका अधिनियमच्या नियमान्वये बँद्रीकर बाल रुग्णालय या महानगरपालिका क्षेत्रात व्यवसाय करण्याचा परवाना देण्यात येतो.

सहाय्यक आयुक्त
क्षेत्रिय कार्यालय क्र.3 शिवाजीनगर
नांदेड वाघाळा शहर महानगरपालिका, नांदेड

संस्थेचे नोंदणी नुतनीकरण

नुतनीकरण दि	पावती क्र. दिनांक	भरलेले शुल्क	स्वाक्षरी	प्रभाग क्र.
01.04.2023 ते 31.03.2026	पा.क्र. 85/495 दि.23.03.2023	रुपये 30,020/-	सहाय्यक आयुक्त क्षेत्रिय कार्यालय क्र.3 शिवाजीनगर नांदेड वाघाळा शहर महानगरपालिका, नांदेड	

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner



महाराष्ट्र MAHARASHTRA © 2023 ©

82AA 959538
Treasury Office Nanded
4 MAR 2024
Stamp Duty Clerk
NANDED

NOTARY
Adv. Raju N.Shrangare
Dist. Nanded.
R.No. 11105
GOVERNMENT OF INDIA

MEMORANDUM , OF UNDERSTANDING

Party No 01 :- Vithai Hospital Through , Dr Atul Hospital

Party No 02 :- Deepganga Magaswargiya Shikshan PrasarkMandal , Through Dr Sanjay Padalwar

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

That Party no 01 is running hospital name Vithai Hospital at nanded &party no 02 is having trust / society name as Deepganga Magaswargiya Shikshan Prasark Mandal , Nnaded.

That Party No 01 giving permission to that student of party no 02 Shree Guru Govind singh Memorial College Of Nursing (M.Sc Nursing, P.B.B.Sc Nursing ,B.Sc Nursing) Under Deepganga Magaswargiya Shikshan Prasark Mandal , For Clinical Permission in Vithai Hospital For five Year .

That Above MOU is Written by party no 01 & Party No 02 With free Will

Party No 1 :- Vithai Hospital

VITHAI HOSPITAL
Dr. Kadam Building,
Dr Lane, Nanded-431602

Party No 2 :- Dr Sanjay Padalwar)
President
Deepganga Magaswargiya Shikshan Prasarak Mandal,Nanded

NOTARY Adv. Raju N.Shrangare Dist.Nanded. R.No.11109 GOVERNMENT OF INDIA

"BEFORE ME"
Raju N. Shrangare
Advocate & Notary
(Appointed by Govt.of India)
Dist.Nanded. (M.S.) India

NOTARY Adv. Raju N.Shrangare Dist.Nanded. R.No.11109 GOVERNMENT OF INDIA

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

नांदेड वाघाला शहर महानगरपालिका, नांदेड.
NANDED WAGHALA CITY MUNICIPAL CORPORATION, NANDED.

सन १९४९चा मुंबई प्रसुती गृह व्यवस्थापन अधिनियम ५ अन्वये दिलेले नोंदणी प्रमाणपत्र

Certificate of Registration under Section 5 of the Bombay Nursing Homes Registration Act, 1949

(नियम ५ अन्वये) (Under Rule 6)

मुंबई प्रसुतीगृह नोंदणी अधिनियम, १९४९ अन्वये श्री / श्रीमती.

यांचे

येथील प्रसुतीगृह / प्रसुती गृह नोंदणी केली असून चालविले प्रसुतीगृह व प्रसुतीगृह यात्रिकांच्या परवाना देण्यात येत आहे.

This is to Certify that Shri / Shrimati Dr Atul Kishanrao Kalmra. has been registered under Bombay Nursing Homes Registration Act, 1949 in respect of Nandigram Hospital Building a Unit of Vitthal Hospital at Dr Lane Nanded. and has been authorised to carry on the said Nursing Home.

नोंदणी क्रमांक : 255
Registration No.

नोंदणी दिनांक : 24/05/2011
Date of Registration

प्रसुती खाटांची संख्या : - 02 -
Maternity No. of Coats

इतर रुग्णांसाठी खाटांची संख्या : - 08 -
Other Nursing Patients No. of Coats

ठिकाण : Place : NANDED

प्रमाणपत्र दिल्याचा दिनांक : 24-5-2023
Date of Issue of Certificate

सदरचे प्रमाणपत्राची वैधता दिनांक ३१ मार्च ..... पर्यंत राहील.
This Certificate remains valid up to 31 March 2027.

T Bisen

वैद्यकीय आरोग्य अधिकारी,
नांदेड वाघाला शहर महानगरपालिका, नांदेड.
Medical Health Officer,
Nanded Waghala City Municipal Corporation, Nanded.

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

MAHARASHATRA POLLUTION CONTROL BOARD

Phone : 0240-2473481
Fax : 0240-2473482
Email : rooaurangabad@mpcb.gov.in
Visit At : http://mpcb.gov.in

Paryavaran Bhavan, A - 4/1, M.I.D.C.
Chikalthana Near Bajaj Nagar Police Station
Jalna Road,
Aurangabad - 431210

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorisation for Generation of Bio-Medical Wastes under Rule 7(4)]

I. File number of authorisation and date of issue

MPCB/ROA/BMW/24/1223/23 Date: 21/12/2023

II. Vitha Hospital is hereby granted an authorisation for generation of biomedical waste on the premises situated at Opp. Barara Tower, Doctors Lane, Nanded, Dist. Nanded

III. This authorisation shall be in force for a period up to: 30 June 2027 An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorisation.

IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.

V. No of Beds: 60

Terms and Conditions of authorisation

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986 and the Rules made there under.

2. The authorisation shall be produced for inspection at the request of an officer authorized by the prescribed authority.

3. I) The authorized person shall not rent, lend or sell the biomedical waste or facility.
II) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.

4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorisation.

5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.

6. The authorisation is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No.	Category	Quantity	Unit	Treatment / Disposal
1	Cat-1 Human Anatomical Waste	2.0	Kg/M	Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorized by MPCB
2	Cat-4 Waste Sharps	10.0	Kg/M	-----"-----
3	Cat-5 Discarded Medicines and Cytotoxic Drugs	90.0	Kg/M	-----"-----
4	Cat-6 Solid Waste	20.0	Kg/M	-----"-----
	Cat-7 Solid Waste (Items contaminated with Blood)	18.0	Kg/M	-----"-----

7. The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.

8. (i) BMW shall be treated and disposed of in accordance with Schedule I and in compliance with the standards prescribed in Schedule V of said Rules.

(ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal site in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site in your own premises / at Mira secured land-fill site of Municipal Council authorized by MPCB and duly approved for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & H) Rules, 1989 as amended and authorized by MPCB.

9. (i) BMW shall not be mixed with other waste or reused, recycled or sold in any form.

(ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labelled according to Schedule III.

(iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.

(iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.

(v) No untreated BMW shall be kept stored beyond a period of 48 hours.

10. Standards for waste autoclaving:
The autoclave should be dedicated for the purposes of disinfecting and treating bio-medical waste.

(i) When operating a gravity flow autoclave, medical waste shall be subjected to:

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

13. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.

14. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

15. Following Guidelines will be used for Management of Mercury Waste.

I) As mercury waste is a hazardous waste, the storage, handling, treatment and disposal practices should be in line with the requirements of Government of India's Hazardous Waste(Management, Handling and Tran boundary Movement) Rules 2008, which may be seen at website www.moef.nic.in

II) Mercury contaminated waste should not be mixed with other bio medical waste or it should be disposed off at a hazardous waste facility or given to a mercury based equipment manufacturer.

III) Precaution should be taken not to handle mercury with bare hands and so far as possible jewellery should be removed at the time of handling mercury. After handling mercury, hands must be carefully washed before eating or drinking. Appropriate personal protective equipment (rubber gloves, goggles/face shields and clothing) should be used while handling mercury.

IV) Mercury containing thermometers should be kept in a container that does not have a hard bottom. Prefer a plastic container to a glass container, as the possibility of breakage will be less.

V) In case of breakage cardboard sheets should be used to push the spilled beads of mercury together. A syringe should be to suck the beads of mercury. Mercury should be placed carefully in a container with some water. Any remaining beads of mercury will be picked up with sticky tape and placed in a plastic bag, properly labeled.

For and on behalf of the
Maharashtra Pollution Control Board

(P.M.Joshi)
RO Aurangabad

To,
Dr. Atul Jahenial Kabra,
Vithal Hospital,
Opp. Barara Tower, Doctors Lane,
Nanded Dist: Nanded

Authorization Fees Received:-

Sr. No.	Amount	DD No.	Date	Drawn On
1	3750/-	047723	[illegible]	Axis Bank
2	7750/-	072914	16/08/2023	Axis Bank

Copy Submitted to:-
1. Chief Accounts Officer, MPCB Board Mumbai
2. Regional Officer(HQ), MPCB, Sion Mumbai

Copy to:-
Sub- Regional Officer, M.P.C.B. Nanded

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner



महाराष्ट्र MAHARASHTRA © 2022 ©

51AA 403750

जोडपत्र-१

व्यक्त प्रतिज्ञा पत्रासाठी / Only for Affidavit

दुय्यम निबंधक नांदेड-२

Treasury Office Nanded

21 JUN 2022

Stamp Head Clerk
NANDED

MEMORANDUM , OF UNDERSTANDING

NOTARY Adv. Raju N.Shrangare Dist.Nanded. R.No.11105 GOVERNMENT OF INDIA

Party No 01 :-MANAS HOSPITAL
Through ,Dr. SHAILENDRA GAIKWAD

Party No 02 :- Deepganga Magaswargiya Shikshan Prasark Mandal , Through Dr Sanjay Padalwar
President.

PRINCIPAL
GURU GOVINDSINGH
MEMORIAL SCHOOL OF NURSING
NANDED

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

That Party no 01 is running hospital name Manas hospital at nanded&party no 02 is having trust / society name as Deepganga Magaswargiya Shikshan Prasark Mandal , Nnaded.

That Party No 01 giving permission to that student of party no 02 shree guru Govind singh Memorial College Of Nursing

(M.Sc Nursing, P.B.B.Sc Nursing ,B.Sc Nursing) Under Deepganga Magaswargiya Shikshan Prasark Mandal , For Clinical Permission in Manas Hospital For five Year .

That Above MOU is Written by party no 01 & Party No 02With free Will

Party No 01 :-MANAS HOSPITAL Dr. SHAILENDRA GAIKWAD

Manas Hospital
Vazirabad,Nanded

Party No :- Dr Sanjay Padalwar

NOTARY Adv. Raju N.Shrangare Dist.Nanded. R.No.11105 GOVERNMENT OF INDIA

7 AUG 2024

"BEFORE ME"

Raju N. Shrangare
Advocate & Notary
(Appointed by Govt.of India)
Dist.Nanded. (M.S.) India

NOTARY Adv. Raju N.Shrangare Dist.Nanded. R.No.11105 GOVERNMENT OF INDIA

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

नांदेड वाघाला शहर महानगरपालिका, नांदेड.

NANDED WAGHALA CITY
MUNICIPAL CORPORATION, NANDED.

Certificate of Registration under Section 5 of the
Bombay Nursing Homes Registration Act, 1949
(Under Rule 6)

This is to Certify that Shri/Smt. Dr. Shailendra Gaikwad

Dr. Amolak Hospital has been registered under

Bombay Nursing Homes Registration Act, 1949 in respect of Mama's

Hospital at Bondar Nanded and has been

authorised to carry on the said Nursing Home.

Registration No. 180

Maternity No. of Cots : Nil

Other Nursing Patients No. of Cots : 60

Date of Registration : 17/09/1973

Date of Issue of Certificate : 09/04/2023

This Certificate shall be valid Upto 31 March 2027

NANDED

वैद्यकिय आरोग्य अधिकारी,
नांदेड वाघाला शहर महानगरपालिका, नांदेड
Medical Health Officer
Nanded Waghala City Municipal
Corporation, Nanded.

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0240 - 2473462
Fax: 0240 - 2473461
Website: http://mpcb.gov.in
Email:
roaurangabad@mpcb.gov.in

Paryavaran Bhavan, A - 4/1,
MIDC Area , Chikalthana,
Near Seth Nandlal Dhoot
Hospital, Jalna Road ,
Aurangabad - 431 210

ORANGE/S.S.I
No:- Format1.0/RO/UAN No.0000166818/CE/2309002643

Date: 20/06/2025

To,
'ANAS HOSPITAL , BORBAN
AREA NANDED

Email:
Contact No.: 9822221006

LiFE
Lifestyle for Environment
Your Service is Our Duty

Grant consent to Establish under the provisions of Water (P & CP) Act, 1974, Air (P & CP Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardou Waste (M & TM) Rules, 2016.

Ref: 1. Combine Consent and Bio-Medical Waste Authorization granted by the Boar vide no.MPCB-CONSENT-0000168818& BMW Auth No.
2. Your application for Combine Consent and Bio-Medical Waste Authorizatio dated 20/04/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby gra consent to Establish to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardo Wastes (Management & Transboundary Movement) Rules, 2016 respectively, un Environment (Protection) Act, 1986, subject to terms and conditions as specified below **in the Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. commisioning of the unit which is earlier five Year

Scanned with OKEN Scanner

2. The capital investment of the HCF is ₹59.00 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area:- Plot Area 308.00 M² with Built-up area 315.00 M².
4. **Activities Included**
   a. Total Number of Beds : 60 Nos. (As per BNH certificate no. HO422 valid upto 16-03-2027)
      I. General Beds : 45 Nos
      II. ICCU/ICU Beds : 15 Nos
      III. Maternity Beds : Nos
5. **Conditions under the Water (P&CP) Act, 1974:-**
   1. Quantity of total water consumption shall not exceed 1 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
   2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
   3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
6. **Conditions under the Air (P&CP) Act,1981:-**
   1. You shall use the fuel for DG set as specified in the **Annexure-II.**
   2. You shall provide adequate emission control system to DG set as specified in **Annexure-II.**
   3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.
7. **Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

   You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr.No	Type of Waste	HW Category no	Quantity	UOM	Disposal
NA					

8. **Conditions under Solid Waste Management rules 2016**
   1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
   2. You shall Not mix general solid waste with Bio Medical Waste.
9. **Conditions under BMW Management rules, 2016 (As Amended):-**

Scanned with OKEN Scanner

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.

Digitally signed by 3ca6f79e7fe794e2a3492368648e6be30cdf8dd176844cfc8a75a7ac61044e575

Signed by: Sujit Suhas Dholam
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
roaurangabad@mpcb.gov.in
18:27:

Received Consent/Authorization fee of -

Sr. No.	Amount (Rs.)	Transaction/DR No.	Date	Transaction Type
1	1500.00	TXN: 25200616741	20/06/2025	Online Payment

Copy to:

Scanned with OKEN Scanner

1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Nanded
   - They are directed to ensure the compliance of the consent conditions.
   SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Scanned with OKEN Scanner

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	1.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, If applicable.

Scanned with OKEN Scanner

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

   a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.

   b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

   c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.

   d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.

   e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.

   f. D.G. Set shall be operated only in case of power failure.

   g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.

   h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Scanned with OKEN Scanner

SCHEDULE

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of Bio-Medical waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment
1	Yellow.	a) Human Anatomical waste	0.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
		b) Animal Anatomical Waste	0.00		
		c) Solled Waste	0.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	0.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
3	White (Translucent)	Waste sharps Including Metals	0.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
		b) Metallic body implants	0.00		

Scanned with OKEN Scanner

SCHEDULE-II

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office; MPCB, Aurangabad and uploading the same to MPCB Portal (https://www.ecmpcb.in/).

Scanned with OKEN Scanner

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee Imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	**Operation and Maintenance**		
1	To Segregate and Handle BMW as per Schedule I	Continuous	10,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	**Records**		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form –IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	25,000.00
2	**Performance**		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
	Total		1,25,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.

Scanned with OKEN Scanner



महाराष्ट्र MAHARASHTRA © 2023 ©

82AE 959550

Stamp Vendor/Clerk
NANDED

MEMORANDUM , OF UNDERSTANDING

Party No 01 :- Renukai Critical Care & Multispecialty Hospital

Through ,Dr Bastewad Nilesh

Party No 02 :- Deepganga Magaswargiya Shikshan Prasark

Mandal , Through Dr Sanjay Padalwar

PRINCIPAL
GURU GOVINDSINGH
MEMORIAL SCHOOL OF NURSING
NANDED

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

That Party no 01 is running hospital name Renukai Critical Care & Multispecialty Hospital Through at Nanded & party no 02 is having trust / society Name as Deepganga Magaswargiya Shikshan Prasark Mandal , Nanded.

That Party No 01 giving permission to that student of party no 02 shree guru Govind singh Memorial College Of Nursing (M.ScNursing, P.B.B.ScNursing ,B.Sc Nursing) Under Deepganga Magaswargiya Shikshan Prasark Mandal , For Clinical Permission in Renukai Critical Care & Multispecialty Hopsital Through For five Year

That Above MOU is Written by party no 01 & Party No 02With free Will

Party No 01 :- Renukai Critical Care & Multispecialty Hospital

Party No 02 :- Dr Sanjay Padalwar
President
Deepganga Magaswargiya Shikshan
Prasarak Mandal,Nanded

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

नांदेड वाघाळा शहर महानगरपालिका, नांदेड.
NANDED WAGHALA CITY MUNICIPAL CORPORATION, NANDED.

सन १९४९च्या मुंबई प्रसुती गृह कायद्याच्या कलम ५ अन्वये दिलेले नोंदणी प्रमाणपत्र

Certificate of Registration under Section 5 of the Bombay Nursing Homes Registration Act, 1949

(नियम ५ अन्वये) (Under Rule 5)

मुंबई सुश्रुषा गृह नोंदणी कायदा, १९४९ अन्वये श्री / श्रीमती _____

_____ यांचे

_____ येथील सुश्रुषा गृह / प्रसुती गृह नोंदणी केले असून सदरचे सुश्रुषा गृह व प्रसुतीगृह चालविण्यास परवाना देण्यात येत आहे.

This is to Certify that Shri / Shrimati Dr. Bastewad Nilesh Jairam has been registered under Bombay Nursing Homes Registration Act, 1949 in respect of Renukai Critical Care Multispeciality Hospital situated at Behind LIC office and has been authorised to carry on the said Nursing Home, Basna Road, Nanded.

नोंदणी क्रमांक : Registration No. 385

नोंदणी दिनांक : Date of Registration 09/02/2018

प्रसुती खाटांची संख्या : Maternity No. of Coats - 05 -

इतर रुग्णांसाठी खाटांची संख्या : Other Nursing Patients No. of Coats - 60 -

ठिकाण : Place : NANDED

प्रमाणपत्र दिल्याचा दिनांक : Date of Issue of Certificate 01/06/2023

सदरचा प्रमाणपत्राची वैधता दिनांक ३१ मार्च..... पर्यंत राहील.

This Certificate shall be valid up to 31 March 2026.

नांदेड वाघाळा शहर महानगरपालिका नांदेड

वैद्यकिय आरोग्य अधिकारी,
नांदेड वाघाळा शहर महानगरपालिका, नांदेड.
Medical Health Officer,
Nanded Waghala City Municipal Corporation, Nanded.

Scanned with OKEN Scanner

MAHARASHATRA POLLUTION CONTROL BOARD

Phone 0240-2473463/83
Fax 0240-2473462
Email mpcbaurangabad@mpcb.gov.in
Visit At http://mpcb.gov.in

Regional Office
Paryavaran Bhawan, A-431, MIDC Area, Chikalthana
Near Sub-Regional Transport Office, Jalna Road
Aurangabad 431210

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorization for Generation of Bio-Medical Wastes under Rule 7(4)]

Your Service is Our Duty

I. File number of authorization and date of issue: UAN No.0040030246

RO AURANGABAD/NDD/BMW-AUTH/ 21040 0030246 Date 28/ 02/2023

II M/s. Renuka Critical Care Center And Multispeciality Hospital is hereby granted an authorization for generation of biomedical waste on the premises situated at Behind LIC Office, Jalna Road, Nanded, Dist. Nanded.

III. This authorization shall valid for a period up to 28.02.2026. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorization.

IV. This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.

V. No of Beds: 65

Terms and Conditions of authorization

1. The "authorized Person" Dr. Nilesh J. Bastewad shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer authorized by the prescribed authority i.e. Member Secretary, MPCB.
3. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
4. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste Categories and quantities listed here in below:

Category	Type of Waste	Type of Bag or Container to be used	Quantity Kg/Month	Treatment and Disposal options
1	2	3	4	5

MPCB-BMW_AUTH/0040030246

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

भारतीय गैर न्यायिक

एक सौ रुपये

Rs. 100

ONE HUNDRED RUPEES

रु. 100

भारत INDIA

INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA © 2023 ©

Treasury Office Nanded

4 MAR 2024

Stamp Head Clerk NANDED

NOTARY Adv. Raju N.Shrangare Dist. Nanded. R.No. 11105 GOVERNMENT OF INDIA

MEMORANDUM , OF UNDERSTANDING

Party No 01 :- Ankur Super Specialty WomensHospital

Through , Dr Sonika Zunjare

Party No 02 :- DeepgangaMagaswargiyaShikshan

PrasarkMandal , Through Dr Sanjay Padalwar

PRINCIPAL
GURU GOVIND
MEMORIAL SCHO
NAN

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

That Party no 01 is running hospital name Ankur super specialty Women's hospital at nanded &party no 02 is having trust / society name as Deepganga Magaswargiya Shikshan Prasark Mandal , Nnaded.

That Party No 01 giving permission to that student of party no 02 Shree Guru Govind singh Memorial College Of Nursing (M.Sc Nursing, P.B.B.Sc Nursing ,B.Sc Nursing) Under Deepganga Magaswargiya Shikshan Prasark Mandal , For Clinical Permission in Ankur super Specialty Women's Hospital For five Year .

That Above MOU is Written by party no 01 & Party No 02 With free Will

Party No 01 :- Ankur Super SpecialtyWomens Hospital

ANKUR SUPER SPECIALITY WOMEN'S HOSPITAL Samrat Nagar Nanded

Party No :- Dr Sanjay Padalwar
President
Deepganga Magaswargiya Shikshan Prasarak Mandal,Nanded

6 AUG 2024

"BEFORE ME"
Raju N. Shrangare
Advocate & Notary
(Appointed by Govt.of India)
Dist.Nanded. (M.S.) India

NOTARY
Adv. Raju N.Shrangare
Dist.Nanded.
R.No.11109
GOVERNMENT OF INDIA

Scanned with OKEN Scanner

नांदेड वाघाळा शहर महानगरपालिका, नांदेड

NANDED WAGHALA CITY
MUNICIPAL CORPORATION, NANDED

Certificate of Registration under Section 5 of the
Bombay Nursing Homes Registration Act, 1949
(नियम ५ अन्वये) (Under Rule 5)

This is to Certify that Shri/Shrimati Dr. Sonika Zunjarre,
Dr. Dinesh Baburao Pujari has been registered under
Bombay Nursing Homes Registration Act, 1949 in respect of Ankur Sushrut
Hospital situated at Sangrat Nagar and has been
authorised to carry on the said Nursing Home Sidhe Chowk Nanded.

नोंदणी क्रमांक 168
Registration No.

मातृत्व खाटांची संख्या Maternity No. of Cots -Go-

नोंदणी दिनांक 28/04/2008
Date of Registration

इतर रुग्णांसाठी खाटांची संख्या Other Nursing Patients No. of Cots

ठिकाण - Place : NANDED

प्रमाणपत्र दिनांक दिनांक
Date of Issure of Certificate 19/05/2023

सदरचा प्रमाणपत्राची वैधता दिनांक ३१ मार्च ..... पर्यंत राहील.
This Certificate shall be valid up to 31 March 2025

वैद्यकीय आरोग्य अधिकारी,
नांदेड वाघाळा शहर महानगरपालिका, नांदेड
Medical Health Officer,
Nanded Waghala City Municipal

PRINCIPAL
GURU GOVINDSINGH
MEMORIAL SCHOOL OF NURSING
NANDED.

PRINCIPAL
Shree Guru Govindsingh Memorial
School of Nursing (G.N.M.) Nanded.

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781/24014701
Fax: 24024068 /24023515
Website: http://mpcb.gov.in
E-mail: mpcb@vsnl.net

Kalpataru Point, 2nd - 4th Floor,
Opp. Cine Planet Cinema,
Near Sion Circle, Sion (E)
Mumbai - 400 022

23

Red/LSI

Date: 31/5/2023

Consent No: Format 1.0/BO/PSO/HOD- 1900541600

To,
M/s. Ankur Superspeciality Womens Hospital
At Samarth Nagar, Nr. Sathe Chowk,
Nanded - 431602

Sub : Combined Consent to Operate & BMW Authorization under RED Category.

Ref : 1. Your BMW Authorization & Consent application resubmitted to MPCB, HQ, Sion, Mumbai on 15/05/2023
2. Documents uploaded on webportal

Consent to Operate

under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, Authorization under Rule 5 of the Hazardous Wastes Rules 2016 and Biomedical Waste Management Rules 2016 is considered and the consent is hereby granted subject to following terms and conditions and as detailed in the schedule I, II, III, IV & V annexed to this order:

1. The conditional consent to operate is granted for period from 01.12.2023 to 01.12.2027

2. The capital investment of the HCE is Rs. 5.42 Crore.
(As per C. A. Certificate submitted)

3. The Consent is valid for the Activity of –

Sr. No.	Activity	Beds
1	Hospital	60 Nos.
	a) Total Plot Area	557.62 sq. mtrs
	b) Total Built up Area	735.50 sq. mtrs

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	5.0	As per Schedule -I	On land for gardening
2.	Domestic effluent	4.0	As per Schedule - I	

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	D.G. Set (62.5 KVA)	1 No.	As per Schedule – II

M/s Ankur Superspeciality Women Hospital, Nanded

Page 1 of 9

PRINCIPAL
Shree Guru Govindsingh Memorial
School of Nursing (G.N.M.) Nanded

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

6. Non-Hazardous Solid Wastes:

Sr. No.	Type of Waste	Quantity	UOM	Disposal
1	Sludge from Sewage Water treatment	As per Actual	MT/ Year	--

7. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

8. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

9. This consent is issued subject to conditions mentioned below,

i) The " authorized Person " M/s. Ankur Superspeciality Womens Hospital Nanded shall comply with the provisions of the Environment (Protection) Act, 1986, and Rules made there under.

ii) Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.

iii) If the built up area exceeds more than 20,000 sq. mtrs. and if the hospital is commissioned after 14.09.2006, the project proponent shall comply EIA Notification 14.09.2006 by obtaining Environment Clearance.

iv) You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 30th June every year.

(v) You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.08." as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".

(vi) You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years;

(vi) You shall establish Barcode system within one year.

(vii) You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;

(viii) You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of notification.

(ix) You shall submit separate Bank Guarantee of Rs.1,00,000/- towards compliance of condition mentioned at Annexure – IV to Regional Office, Aurangabad within 30 days.

PRINCIPAL
Shree Guru Gobindsingh Memorial
School of Nursing (G.N.M.) Nanded

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

(xi) You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Aurangabad for verification purpose.

(xiii) You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees

For and on behalf of the
Maharashtra Pollution Control Board

(Dr. Y.B. Sontakke)
Principal Scientific Officer

Received Consent / Authorization fee of –

Sr. No.	Amount (₹)	D.D. no.	Date
1	25,000/-	TXN1812067975	13.05.2023
2	60,000/-	TXN1905000990	11.05.2019
3	70,000/-	TXN1903003284	28.03.2019.
4	5000/-	TXN1812002679	24.12.2018

1. Regional Officer – MPCB , Aurangabad and Sub –Regional Officer – Nanded, MPCB – They are directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Mumbai for information.

PRINCIPAL
Shree Guru Gobindsingh Memorial
School of Nursing (G.N.M.) Nanded

M/s Ankur Superspeciality Women Hospital, Nanded

PRINCIPAL
GURU GOBINDSINGH
MEMORIAL SCHOOL OF NURSING
NANDED.

Scanned with OKEN Scanner

CERTIFICATE OF REGISTRATION

Dr. Kotte Hospital

Plot no. Nazimabad Hyderabad

(i) Ultrasound Invasive
(ii) Amniocentesis
(iii) Chorionic villi biopsy
(iv) Foetoscopy
(v) Foetal skin or organ biopsy
(vi) Cordocentesis
(vii) Any other (specify)

C. Pre-natal diagnostic tests* approved for Genetic Laboratory)
(i) Chromosomal studies (ii) Biochemical studies (iii) Molecular studies

D. Any other purpose (please specify)

3. Model and make of Equipments being used (any change in the equipment to be informed to the Appropriate Authority under rule 13)

4. Registration No. allotted USG/MTP/CAT(A) 70 /dt. 10-03-2006

5. Period of validity of earlier Certificate of Registration From 17-01-2021 to 17-01-2026
(For renewed certificate of Registration only)

Name of Owner
Dr Kotte

Date : 22.03.2021

Signature, Name & Designation
of the Appropriate Authority

SEAL

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

GOVT. OF MAHARASHTRA

Public Health Department
(PRE-CONCEPTION AND PRE-NATAL DIAGNOSTIC TECHNIQUES)
(PROHIBITION OF SEX SELECTION)
(From 8 Rules 6(2) 6(5) and 8(2))
(To be issued in Duplicate)

CERTIFICATE OF REGISTRATION

1. In exercise of the powers conferred under sec.19(1) of the Pre-natal Diagnostic Techniques (Regulation and Prevention of Misuse) Act, 1994 (57 of 1994), the Appropriate Authority Dr. Bisen Sureshsingh MEDICAL OFFICER OF HEALTH, Nanded Waghala City Municipal Corporation, Nanded hereby grants registration to the Genetic Counselling Centre*/ Genetic Laboratory*/Genetic Clinic*/ Ultrasound Clinic*/ Imaging Centre* named below for purpose of carrying out Genetic Counselling./Pre-natal Diagnostic Procedures*/Pre-natal Diagnostic Tests/ Ultrasonography under the aforesaid Act for a period of five years ending on 04.03.2019

2. This Registration is granted subject to the aforesaid Act and Rules thereunder and any contravention thereof shall result in suspension or cancellation of this Certificate of Registration before the expiry of the said period of five years, apart from prosecution.

A. Name and address of the Genetic Counselling Centre*/ Genetic Laboratory*/ Genetic Clinic*/ Ultrasound Clinic*/ Imaging Centre* Aarav Test Tube Baby Centre Aarav Hospital, Somwarbagar, Near Sable Chowk, Nanded. Dr. Pradeepkumar Nivrutti Dongare, Sonika Dongare, Bhakti Nanded. Dr. Girish Nandedkar, Dr. Rahul Nivrutti Dongare, Nileshwar Maithili, Dr. Chandan Shankar, Dr. Anuja Dongare, Prasad Dongare, Dr. Chaudhary Sonal

B. Pre-natal diagnostic procedure approved for (Genetic Clinic)

Non-Invasive

(i) Ultrasound Invasive
(ii) Amniocentesis
(iii) Chorionic villi biopsy
(iv) Fetoscopy
(v) Foetal skin or organ biopsy
(vi) Cordocentesis
(vii) Any other (specify)

C. Pre-natal diagnostic tests* approved (for Genetic Laboratory)

(i) Chromosomal studies (ii) Biochemical studies (iii) Molecular studies

D. Any other purpose (please specify)

3. Model and make of Equipments being used (any changes is to be intimated to the Appropriate Authority under rule 13).

1. MINDRAY DP-50 SR-NO. PP-30006252 CMRC NO. MH/NDC/0157
2. Wipro GE LOGIQ P6 SR-NO. 6137 9240X0 CMRC NO MH/NDC/0193
3. MINDRAY DC40 CRYSTAL SR.No. CT7-27005910 CMRC NO. MH/NDC/0317
4. MINDRAY DC40 SR.NO. [illegible] CMRC NO. MH/NDC/0143 C&S, Nanded

4. Registration No. Client/ Genetic Lab/ 146 /dt 05-03-2014 From 05-03-2014 to 04-03-2019

5. Period of validity of subsequent renewals of registration.
(For renewed certificate of Registration only).

Name of Owner Dr. Pradeepkumar Nivrutti Dongare

Date :- 01/11/2014

Appropriate Authority/Medical Officer of Health
Signature, Name & Designation
of the Appropriate Authority
NANDED.

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

भारतीय गैर न्यायिक
एक सौ रुपये
Rs. 100
ONE HUNDRED RUPEES
भारत INDIA
INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA © 2023 © 82AA 787002

जोडपत्र-1

FOR AFFIDAVIT

11 2 FEB 2024

NOTARY
Adv Raju N.Shirangare
Dist.Nanded.
R.No.11105
GOVERNMENT OF INDIA

MEMORANDUM , OF UNDERSTANDING

Party No 01 :- Marathwada Bal Rugnalay
Through , Dr Sangram Jondhale

Party No 02 :- DeepgangaMagaswargiyaShikshan
Prasark Mandal , Through Dr Sanjay Padalwar

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

That Party no 01 is running hospital name Marathwada Bal Rugnalay at nanded & party no 02 is having trust / society name as DeepgangaMagaswargiyaShikshanPrasark Mandal , Nanded.

That Party No 01 giving permission to that student of party no 02 Shree Guru Govind singh Memorial College Of Nursing (M.Sc Nursing, P.B.B.Sc Nursing ,B.Sc Nursing) Under Deepganga Magaswargiya Shikshan Prasark Mandal , For Clinical Permission in Marathwada Bal Rugnalay For five Year .

That Above MOU is Written by party no 01 & Party No 02 With free Will

Party No 01 :- Marathwada Bal Rugnalay

MARATHWADA HOSPITAL
Borban Factory, Govardhan Ghat, Nanded-431601

Party No :- Dr Sanjay Padaliyar
President
Deepganga Magaswargiya Shikshan Prasarak Mandal,Nanded

6 AUG 2024

"BEFORE ME"
Raju N. Shrangare
Advocate & Notary
(Appointed by Govt.of India)
Dist.Nanded. (M.S.) India

NOTARY
Adv. Raju N.Shrangare
Dist.Nanded.
R.No.11105
GOVERNMENT OF INDIA

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

नांदेड वाघाळा शहर महानगरपालिका, नांदेड
NANDED WAGHALA CITY
MUNICIPAL CORPORATION, NANDED

Certificate of Registration under Section 5 of the
Bombay Nursing Homes Registration Act, 1949
(नियम ५ पहावे) (Under Rule 5)

This is to Certify that Shri/Smt/Dr. Sangram V.T. Sarhale has been registered under Bombay Nursing Homes Registration Act, 1949 in respect of Maruti Nursing Home situated at Borkhani Festival has been authorised to carry on the said Nursing Home.

नोंदणी क्रमांक Registration No. 117

नोंदणी दिनांक Date of Registration 30/10/06

प्रसूती खाटांची संख्या Maternity No. of Cots Nil

इतर रुग्णांसाठी खाटांची संख्या Other Nursing Patients No. of Cots 40

ठिकाण - Place : NANDED

प्रमाणपत्र दिल्याचा दिनांक Date of Issure of Certificate 10/05/2023

सदरचा प्रमाणपत्राची मुदत दिनांक ३१ मार्च 2024 पर्यंत राहील.
This Certificate shall be valid upto 31 March

Medical Health Officer,
Nanded Waghala City Municipal
Corporation, Nanded

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

MAHARASHTRA POLLUTION CONTROL BOARD

Tel. No. 242492
Fax No. 02462-242492

Sub-Regional Office,
Lahoti Complex, 2nd Floor,
Near Shivaji Putla,
Vazirabad, NANDED-431605

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorization for operating a facility for generation, storage and disposal of Bio-Medical Waste]

I. File number of authorization and date of issue

MPCB/SRON/BMW/AD-13285-13/1111/3111 Date: 25/06/2022

II. M/s. Marathwada Balrugnalya (70 Beds) is hereby granted an authorization for handling of bio-medical waste on the premises located at Borban Factory area, Nanded.

III. This authorization shall be in force for a period up to 30/05/2027
An application shall be made by the occupier/operator for renewal 30 days before expiry of earlier authorization.

IV. This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986

Terms and Conditions of Authorisation

1. The authorized person shall comply with the provisions of the Environment (Protection) Act, 1986 and the Rules made there under.

2. The authorization shall be produced for inspection at the request of an officer authorized by the prescribed authority.

3. i) The authorized person shall not rent, lend or sell the biomedical waste facility,
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.

4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.

Marathwada

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

(ii) BMW shall be segregated into containers/bags at the point of generation in accordance with Schedule-II prior to <storage>, <treatment> and <disposal>. The containers shall be labeled according to Schedule-III.

(iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule-III, also carry information prescribed in Schedule-IV and shall be transported by authorized Transporter only.

(iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules or rules thereunder, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.

(v) No untreated BMW shall be kept stored beyond a period of 48 hours.

V. Every 'Authorized Person' shall submit any Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.

VI. (i) Every authorized person shall maintain records related to the generation, collection, reception, transportation, treatment, disposal and /or any form of handling of BMW in accordance with these Rules and any guidelines issued.
(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.

VII. When any accident occurs in any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form-III to the prescribed authority forthwith.

PRINCIPAL
Shree Guru Govindsingh Memorial
School of Nursing (G.N.M.) Nanded

PRINCIPAL
Shree Guru Govindsingh Memorial
School of Nursing (G.N.M.) Nanded

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

VIII. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

For and on behalf of the
Maharashtra Pollution Control Board,

(J. A. Kadam)
Sub-Regional Officer, Nanded

To,

Dr. Sangram .M. Jondhale.
M/s. Marathwada Balrugnalya,
Borban Area, Nanded.

Copy submitted to:-
1. The Member Secretary, MPCB, Mumbai.
2. The Principal Scientific Officer, MPCB, Mumbai.

Copy f.w.cs. to:-
3. The Chief Accounts Officer, MPCB, Mumbai.

Authorization fees: - Rs. 7500/-,D.D.No 747505, Dtd 05-06-23 Drawn on S.B.I .

Copy forwarded to :-
4. The Regional Officer, MPCB, Aurangabad , for information

PRINCIPAL
Shree Guru Gowindsingh Memorial
School of Nursing (G.N.M.) Nanded.

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

भारतीय गैर-न्यायिक

Rs. 100

ONE HUNDRED RUPEES

₹ 100

भारत INDIA

INDIA NON JUDICIAL

महाराष्ट्र MAHARASHTRA © 2023 ©

82AA 959535

Treasury Office Nanded

- 4 MAR 2024

Stamp Head Clerk
NANDED

ई 941606 दिनांक 22/03/2024

दि ए नाव

साठी

विक्रेत्याची सही

दि.घा पता स्टेशन रोड

यालय जवळ नांदेड

विक्रेता सौ.उषा शर्मा

ज्ञना क्र. 3401820

दि घेणाऱ्याची सही

NOTARY
Adv. Raju N.Shrangare
Dist.Nanded
R.No.11105
GOVERNMENT OF INDIA

MEMORANDUM , OF UNDERSTANDING

Party No 01 :- Chidrawar Super Specialty Hospital

Through ,Dr Ram KishnraoChidrawar

Party No 02 :- Deepganga Magaswargiya Shikshan

Prasark Mandal , Through Dr Sanjay Padalwar

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

That Party no 01 is running hospital name chidrawar super specialty hospital at nanded&party no 02 is having trust / society name as Deepganga Magaswargiya Shikshan Prasark Mandal , Nnaded.

That Party No 01 giving permission to that student of party no 02 shree guru Govind singh Memorial College Of Nursing. (M.Sc Nursing, P.B.B.Sc Nursing ,B.Sc Nursing) Under Deepganga Magaswargiya Shikshan Prasark Mandal , For Clinical Permission in Chidrawar super Specialty Hospital For five Year .

That Above MOU is Written by party no 01 & Party No 02With free Will

Party No 01 :-Chidrawar Super Specialty Hospital

CHIDRAWAR HOSPITAL
Dr. Lane Nanded.

Party No :- Dr Sanjay Padalwar
President
Deepganga Magaswargiya Shikshan
Prasarak Mandal,Nanded

- 6 AUG 2024

"BEFORE ME"
Raju N. Shrangare
Advocate & Notary
(Appointed by Govt.of India)
Dist.Nanded. (M.S.) India

NOTARY • GOVERNMENT OF INDIA • Adv. Raju N.Shrangare Dist.Nanded. R.No. 11105

NOTARY • GOVERNMENT OF INDIA • Adv. N.Shrangare Dist. Nanded R.No. 11105

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

NANDED WAGHALA CITY MUNICIPAL CORPORATION, NANDED

Certificate of Registration under Section 5 of the Bombay Nursing Homes Registration Act, 1949
(Rule 6)

This is to Certify that Shri/Shrimati Dr. Ram Kishanrao Hindrajwar has been registered under Bombay Nursing Homes Registration Act, 1949 in respect of Maternity Hospital situated at Dattatraya Nagar, Nanded and has been authorised to carry on the said Nursing Home.

Registration No. 135

Maternity No. of Cots -06-

Date of Registration 25/1/2007

Other than Maternity Patients No. of Cots -64-

NANDED

Date of Issure of Certificate 09/04/2025

This Certificate shall be valid up to 31 March 2027

वैद्यकिय आरोग्य अधिकारी,
महानगरपालिका, नांदेड
Medical Health Officer

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

MAHARASHATRA POLLUTION CONTROL BOARD
Phone : 0240-2473461
Fax : 0240-2473462
E-mail : rosubangabad@mpcb.gov.in
Website : http://mpcb.gov.in
Regional Office,
Paryavaran Bhavan, [illegible]
Chikalthana, Opp. Tech. Textile Park,
Jalna Road,
Aurangabad - 431210.

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorisation for Generation of Bio-Medical Wastes under Rule 7(4)]

I File number of authorization and date of issue
II MPCB/ROA/SRON/BMW/2024/1042/96 Date :02/05/2024

II. M/s. Shri Childrawar Superspeciality Hospital is, hereby granted an authorization for generation of biomedical waste on the premises situated at Doctor Line, Nanded Tal. & Dist. Nanded.

III. This authorisation shall be in force for a period up to 28/03/2027 An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorisation

IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.

V. No of Beds: 70

Terms and Conditions of authorization:

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
   ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment, working conditions as mentioned in the application by the person authorised shall constitute a breach of this authorization.
5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility.
6. The authorisation is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below :

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

No.	Category	Quantity	UOM	Treatment & Disposal
	Cat-1 Human Anotomical waste	15.0	Kg/M	Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorized by MPCB
	Cat-3 Microbiology & Biotechnology Waste	---	Kg/M	Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorized by MPCB
	Cat-4 Waste Sharps	3.0	Kg/M	Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorized by MPCB
	Cat-5 Discarded Medicines and Cytotoxic Drugs	3.0	Kg/M	Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorized by MPCB
	Cat-6 Solid Waste	6.0	Kg/M	Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorized by MPCB
	Cat-7 Solid Waste	6.0	Kg/M	Bio medical Waste shall be sent to Common BMW Treatment & Disposal facility authorized by MPCB

The liquid/solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.

(i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.

(ii) You shall setup requisite BMW treatment facilities like Incinerator, autoclave / Microwave, shredder etc., at the disposal site in accordance with the BMW rules. You shall disposed of the duly treated BMW, the incineration ash in secured land fill site at your own premises / MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & H) Rules, 1989 as amended and authorized by MPCB.

BMW shall not be mixed with other wastes or reused, recycled or sold in any form.

BMW shall be segregated into containers / bags at the point of generation in accordance with, Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.

If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.

Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.

No untreated BMW shall be kept stored beyond a period of 48 hours.

PRINCIPAL
Shree Guru Govindsingh Memorial
School of Nursing (G.N.M.) Nanded.

PRINCIPAL
Shree Guru Govindsingh Memorial
School of Nursing (G.N.M.) Nanded.

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

(ii) All records shall be subject to inspection and verification by the prescribed authority at any time.

13. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorised person shall report the accident in Form III to the prescribed authority forthwith.

14. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

15. Following Guidelines will be Used for Management of Mercury Waste

(I) As mercury waste is a hazardous waste, the storage, handling, treatment, and disposal practices should be in line with the requirements of Government of India's Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules 2008, Which may be seen at website www.cpcb.nic.in.

(II) Mercury-contaminated waste should not be mixed with other bio medical waste or it should be disposed off at a hazardous waste facility or given to a mercury-based equipment manufacturer.

(III) Precaution should be taken not to handle mercury with bare hands as far as possible. Jewellery should be removed at the time of handling mercury. After handling mercury, hands must be carefully washed before eating or drinking . Appropriate personal protective equipment (rubber gloves, goggles / face shields and clothing) should be used while handling mercury.

(IV) Mercury – Containing thermometers should be kept in a container that does not have a hard bottom. Prefer a plastic container over glass container, as the possibility of breakage will be less.

(V) In case of breakage, cardboard sheets should be used to push the spilled beads of mercury together. A syringe should be used to suck the beads of mercury . Mercury should be placed carefully in a container with some water. Any remaining beads of mercury will be picked up with a sticky tape and placed in a plastic bag, properly labeled.

For and on behalf of the
Maharashtra Pollution Control Board

(D.B. Patil)
Regional Officer,
M.P.C. Board Aurangabad.

To,
M/s. Shri Chidravar Superspeciality Hospital,
Doctor Line, Nanded, Tal. & Dist. Nanded.

Authorization Fees Received:-

Sr. No.	Amount	DD. No.	Date	Drawn On
1	10000/-	354124	10/03/2024	SBI Bank

Copy Submitted to:-
Sub-Regional Officer, MPC Board, Nanded.

PRINCIPAL
Shree Guru Gobindsingh Memorial
School of Nursing (G.N.M.) Nanded

PRINCIPAL
Shree Guru Gobindsingh Memorial
School of Nursing (G.N.M.) Nanded

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

6. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.

9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.

10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.

11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.

12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.

13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

PRINCIPAL
Shree Guru Gobindsingh Mem
School of Nursing (GJLM) N

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material use/ handling/ disposal of waste before commencement of such activity.

For and on behalf of the
Maharashtra Pollution Control Board.

(Dr. A. C. Supate)
Principal Scientific Officer

PRINCIPAL
Shree Guru Gobindsingh. Edu.
School of Nursing (G.N.M.)

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner



महाराष्ट्र MAHARASHTRA © 2022 ©

51AA 403751

जोडपत्र-१

फक्त प्रतिज्ञापत्रासाठी / Only for Affidavit

मुद्रांक विक्री नों.अ.क्र. ९०२८ दि. 20/12/22

मुद्रांक विक्रेत्याचे नाव ---------- विजय बळीराम हो

रक्कम रु सही ---------- तोडे

परवानाधारक मुद्रांक विक्रेत्याची सही व

परवाना क्रमांक - ३४०१०५२

Treasury Office Nanded

21 DEC 2022

Stamp Head Clerk
NANDED

MEMORANDUM , OF UNDERSTANDING

Party No 01 :- Apeksha Critical Care & Multispecialty Hospital

Through ,Dr Vikas Rathod

Party No 02 :- Deepganga Magaswargiya Shikshan Prasark

Mandal , Through Dr Sanjay Padalwar

PRINCIPAL
GURU GOVINDSINGH
MEMORIAL SCHOOL OF NURSING
NANDED

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

That Party no 01 is running hospital name Apeksha Critical Care & Multispecialty Hospital Through at Nanded & party no 02 is having trust / society Name as Deepganga Magaswargiya Shikshan Prasark Mandal , Nanded.

That Party No 01 giving permission to that student of party no 02 shree guru Govind singh Memorial College Of Nursing (M.ScNursing, P.B.B.ScNursing ,B.Sc Nursing) Under Deepganga Magaswargiya Shikshan Prasark Mandal , For Clinical Permission in Apeksha Critical Care & Multispecialty Hospital Through For five Year

That Above MOU is Written by party no 01 & Party No 02With free Will

Party No 01 :- Apeksha Critical Care & Multispecialty Hospital

Party No 02 :- Dr Sanjay Padalwar
President
Deepganga Magaswargiya Shikshan
Prasarak Mandal, Nanded

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

GOVT. OF MAHARASHTRA

Public Health Department

PRE-CONCEPTION AND PRE-NATAL DIAGNOSTIC TECHNIQUES
(PROHIBITION OF SEX SELECTION)
(From R Rule 6 (2) 6 (5) and 8 (2))

CERTIFICATE OF REGISTRATION

MEDICAL OFFICER OF HEALTH Nanded Waghala City Municipal Corporation, Nanded

~~Genetic Counseling Centre~~ / ~~Genetic Laboratory~~ / Genetic Clinic / Ultrasound Clinic / Imaging Clinic named below for purpose of carrying out Genetic Counseling / Pre natal Diagnostic Procedures / Pre natal Diagnostic Tests / Ultrasonography / Imaging Services as mentioned in the Pre-natal Diagnostic Techniques (Regulation and Prevention of Misuse) Act, 1994 (57 of 1994) for the Appropriate Authority, Nanded is hereby granted certificate of registration under section 20 (1) of the said Act and rules framed thereunder to the ~~Genetic Counseling Centre~~ / ~~Genetic Laboratory~~ / Genetic Clinic / Ultrasound Clinic / Imaging Clinic named below for purpose of carrying out Genetic Counseling / Pre natal Diagnostic Procedures / Pre natal Diagnostic Tests / Ultrasonography / Imaging Services as mentioned in the Pre-natal Diagnostic Techniques (Regulation and Prevention of Misuse) Act, 1994 (57 of 1994) for the Appropriate Authority, Nanded for a period of five years ending on 17-01-2025

This certificate is granted subject to the aforesaid Act and Rules thereunder and to the conditions specified therein and is liable to be suspended or cancelled on the contravention of any of the provisions of the said Act and rules thereunder and to the penalty and prosecution.

The address of the ~~Genetic Counseling Centre~~ / ~~Genetic Laboratory~~ / Genetic Clinic / Ultrasound Clinic / Imaging Clinic: Apekshit Critical care Centre and multispeciality Hospital, Pvt. Ltd. Station Road, Nanded

Name and address of the Medical Geneticist / Gynecologist / Radiologist / Pediatrician / Any other person working at the Genetic Counseling Centre / Genetic Laboratory / Genetic Clinic / Ultrasound Clinic / Imaging Clinic: (1) Dr. Ashok Rathod (2) Dr. Pralhad Vikhe (3) Dr. Pralhad Ghuge (4) Dr. Gajanan Shelke (5) Dr. Agrawal Sonia

(i) Foetal ultrasonography
(ii) Cardiocentesis
(iii) Any other specify

Type of tests conducted in Genetic Laboratory:
(i) Chromosomal studies (ii) Biochemical studies (iii) Molecular studies

Type of tests conducted in Genetic Clinic:

Any change in the particulars entered in this certificate should be intimated to the Appropriate Authority within 15 days of such change.

Type of Fee paid Rs. Pay Rs. No. 4961249 Dt.

155 / 18-01-2016

18-01-2021 to 17-01-2025

Appropriate Authority & Medical Officer of Health
Nanded Waghala City Municipal Corporation
Appropriate Authority
NANDED.

Date: 18-01-2021

PRINCIPAL
GOVERNMENT MEDICAL COLLEGE
NANDED

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

नांदेड वाघाळा शहर महानगरपालिका,नांदेड

महानगरपालिका भवन, श्री. गुरु गोबिंदसिंघजी स्मारक रुग्णालयासमोर, नांदेड - ४३१ ६०२

दूरध्वनी : 02462-234710, 234577 संकेत स्थळ : www.nwcmc.gov.in ई मेल : info@nwcmc.gov.in

महाराष्ट्र सुश्रुषा गृह नोंदणी अधिनियम १९४९ व सुधारीत नियम २०२१ च्या कलम ५ अन्वये
दिलेले नोंदणी प्रमाणपत्र

Certificate of Registration under Section 5 of the
(नियम 5 अन्वये) (Under Rule 5)

महाराष्ट्र सुश्रुषा गृह नोंदणी अधिनियम १९४९ व सुधारीत नियम २०२१ च्या कलम ५ अन्वये श्री / श्रीमती Dr shubhangi sanjay patange यांचे Apeksha Critical Care & Multi Speciality Hospital Pvt Ltd येथील सुश्रुषा गृह / प्रसुती गृह नोंदणी केले असून सदरचे सुश्रुषा गृह व प्रसुतीगृह चालविण्यास परवाना देण्यात येत आहे.

This is to Certify that Shri Shrimati Dr shubhangi sanjay patange has been registered under Bombay Nursing Homes Registration Act, 2021 in respect of Apeksha Critical Care & Multi Speciality Hospital Pvt Ltd Situated at railway station road nanded and has been authorised to carry on the said Nursing Home.

नोंदणी क्रमांक	:327	प्रसुती खाटांची संख्या	
Registration No	:327	Maternity No. of Coats	: 5
नोंदणी दिनांक	:01-07-2024	इतर रुग्णांसाठी खाटांची संख्या	
Date of Registration	:01-07-2024	Other Nursing Patients No. of Coats	: 45
ठिकाण	:नांदेड		
Place	:Nanded	Total	: 50
प्रमाणपत्र दिल्याचा दिनांक	:01-07-2024		
Date of issue of Certificate	:01-07-2024		

सदरचा प्रमाणपत्राची मियाद दिनांक पर्यंत 31-03-2027 राहील.
This Certificate Shall be valid up to 31-03-2027

S.D.H.O

वैद्यकिय आरोग्य अधिकारी,
नांदेड वाघाळा शहर महानगर पालिका, नांदेड
Medical Health Officer
Nanded Waghala City Municipal Corporation, Nanded.

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

MAHARASHATRA POLLUTION CONTROL BOARD

Phone : 0240-2473461/63
Fax : 0240-2473462
Email : rosambgabad@mpcb.gov.in
Visit At : http://mpcb.gov.in

Regional Office,
Paryavaran Bhawan, A-4/1, MIDC Area Chikalthana,
Near Seth Nandlal Dhoot Hospital, Jalna Road,
Aurangabad-431210.

"Your Service is our Duty"

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorisation for Generation of Bio-Medical Wastes under Rule 7(4)]

I. File number of authorization-
RO-AURANGABAD/BMW-AUTH/ 22.0700032 Date: 21/ 09/2022

II. M/s. Apeksha Multispeciality And Critical Center, is hereby granted an authorization for generation of biomedical waste on the premises situated at Radhakishan Agarwal Market, Railway Station Road, Nanded, Tq. & Dist. Nanded.

III. This authorization shall valid for a period up to 30/04/2027. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorisation.

IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.

V. No of Beds: 50

Terms and Conditions of authorization

1. The "authorized Person" Dr. Shubhangi Sanjay Petange shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer authorized by the prescribed authority i.e. Member Secretary, MPCB.
3. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
4. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste Categories and quantities listed here in below:

Category	Type of Waste	Type of Bag or Container to be used	Quantity Kg/Month	Treatment and Disposal options
1	2	3	4	5

REGIONAL OFFICE M.P.C.B. AURANGABAD

Maharashtra Pollution Control Board

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Yellow	(a) Human Anatomical Waste: Human tissues, organs, body parts and fetus below the viability period (as per the Medical Termination of Pregnancy Act 1971, amended from time to time).	Yellow coloured non-chlorinated plastic bags	15.0	CBMWTSDF NANDED
	(b)Animal Anatomical Waste : Experimental animal carcasses, body parts, organs, tissues, including the waste generated from animals used in experiments or testing in veterinary hospitals or colleges or animal houses.		--	
	(c) Soiled Waste: Items contaminated with blood, body fluids like dressings, plaster casts, cotton swabs and bags containing residual or discarded blood and blood components.		40.0	CBMWTSDF NANDED CBMWTSDF NANDED
	(d) Expired or Discarded Medicines: Pharmaceutical wastelike antibiotics, cytotoxic drugs including all items contaminated with cytotoxic drugs along with glass or plastic ampoules, vials etc.	Yellow coloured non-chlorinated plastic bags orcontainers	20.0	CBMWTSDF NANDED
	(e) Chemical Waste: Chemicals used in production of biological and used or discarded disinfectants.	Yellow coloured containers or non-chlorinated plastic bags	--	

Maharashtra Pollution Control Board

MPCB-BMW_AUTH--0000043416

Scanned with OKEN Scanner
Scanned with OKEN Scanner
Scanned with OKEN Scanner

	(f) Chemical Liquid Waste : Liquid waste generated due to use of chemicals in production of biological and used or discarded disinfectants, Silver X-ray film developing liquid, discarded Formalin, infected secretions, aspirated body fluids, liquid from laboratories and floor washings, cleaning, house-keeping and disinfecting activities etc.	Separate collection system leading to effluent treatment system	--	After resource recovery, the chemical liquid waste shall be pre-treated before mixing with other wastewater. The combined discharge shall conform to the discharge norms given in Schedule-II
	(g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	Non-chlorinated yellow plastic bags or suitable packing material	--	CBMWTSDF NANDED
	(h) Microbiology, Biotechnology and other clinical laboratory waste: Blood bags, Laboratory cultures, stocks or specimens of microorganisms, live or attenuated vaccines, human and animal cell cultures used in research, industrial laboratories, production of biological, residual toxins, dishes and devices used for cultures.	Autoclave safe plastic bags or containers	--	
Red	Contaminated Waste (Recyclable) (a) Wastes generated from disposable items such as tubing, bottles, intravenous tubes and sets, catheters, urine bags, syringes (without needles and *fixed needle syringes*) and vaccutainers with their needles cut) and gloves.	Red coloured non-chlorinated plastic bags or containers	30.0	CBMWTSDF NANDED

Maharashtra Pollution Control Board

REGIONAL OFFICE M.P.C. BOARD AURANGABAD

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

White (Translucent)	Waste sharps including Metals: Needles, syringes with fixed needles, needles from needle tip cutter or burner, scalpels, blades, or any other contaminated sharp object that may cause puncture and cuts. This includes both used, discarded and contaminated metal sharps	Puncture proof, Leak proof, tamper proof containers	20.0	CBMWTSDF NANDED
Blue	(a) Glassware: Broken or discarded and contaminated glass including medicine vials and ampoules except those contaminated with cytotoxic wastes.	Cardboard boxes with blue colored marking	--	
	(b) Metallic Body Implants	Cardboard boxes with blue colored marking		
No onsite treatment of BMW is permitted. The above mentioned Bio Medical Waste shall be sent to Common BMW Treatment and Disposal facility authorized by MPCB for NANDED:- M/s. Superb Hygienic Disposals (India) Pvt. Ltd, Gut No. 179, Tuppa, Tal. & Dist. Nanded.				

5. The liquid / solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule VI of said Rules and the Environment (Protection) Act, 1986.

6. i) BMW shall not be mixed with other wastes or reused or solid in any form.

(ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.

(iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.

(iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.

(v) No untreated BMW shall be kept stored beyond a period of 48 hours.

(vi) Necessary protective gear for the waste handlers shall be provided by the hospital authority.

(vii) You shall ensure proper collection of mercury spillage arising mainly due to breakage of the monometer pressure gauges (sphygmomanometers) other equipments used in health care facilities as well as its storage in accordance with the Hazardous waste (Management & Handling) Rules (presently

Maharashtra Pollution Control Board

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

these Rules ahs to be read as 'Hazardous Waste (Management & Handling and Transboundry Movement)Rule, 2008) and returning it to the instrument manufactures apart from necessary taking steps to ensure that the spilled mercury does not becotne as part of bio-medical or other solid waste generated form the HCFs.

vii) Authorized person shall obtain prior permission form MPCB for generation & disposal, of Bio-Medical waste quantity of category specified exceed the limits authorized at condition No. 4 above.

7. i) You shall submit an Annual Report to the prescribed authority in Form- by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.

ii) You shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.

iii) All records shall be subject to inspection and verification by the prescribed Authority at any time.

8. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.

9. This authorization is issued subject to condition as mentioned below.

i) You shall submit compliance of authorization conditions every six months to Sub-Regional Office Latur.

ii) You shall provide Annual report in Form-II duly certified by facility operator.

iii) You shall provided valid copy of registration under Bombay Nursing Home Act.

iv) You shall obtain Consent to Operate from Board under Water (P &CP) Act, 1974 and Air (P &CP) Act, 1981, forthwith.

v) The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

vi) The Hospital shall not carry any expansion, change, Addition, Modification, and Modernization in the existing set up till to obtain prior permission from the Board.

10. The Hospital Authority shall furnish the following BG's towards compliance of conditions of authorization within 15 days from date of issuance of the authorisation as per Circular of MPCB, HQ, Mumbai vide letter No. MPCB/PSO/BMW/B-1825 dtd.10.04.2013.

Sr. No.	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount	Bank Guarantee(s) validity
I (A)	Operation and Maintenance			
1	To Segregate and Handle BMW as per Rule	Continuous	25,000/-	30/04/2027
I (B)	Records			

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

1	To Maintain records of BMW and submission of Annual Report in Form –II before 31st January	Continuous	15,000/-	30/04/2027
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	10,000/-	30/04/2027
II	Performance			
1	To provide Separate BMW storage facility As per guidelines of CPCB.	Continuous	25,000/-	30/04/2027
		Total	75,000/-	

(i) The above Bank Guarantee(s) shall be submitted by the applicant to the respective Regional Office within 15 days of the date of issue of BMW Authorization.

11. The Board reserves the right to review, amend, suspend, revoke etc. this authorization and same shall be binding on the hospital authority.

12. This authorization should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

13. Hospital shall submit the Bombay Nursing Home certificate within one month period.

(S. L. Washimare)
Regional Officer, Aurangabad

REGIONAL OFFICE M. P. C. BOARD AURANGABAD

To,
M/s. Apeksha Multispeciality And Critical Center,
Radhakishan Agarwal Market, Railway Station Road, Nanded, Tq. & Dist. Nanded.

Authorization Fees Received:

Sr no	Amount	Transaction number		Date
1	12500/-	TXN2204003238	26-04-2022	

Copy to: Sub-Regional Officer, MPCB, Nanded.

Maharashtra Pollution Control Board

Scanned with OKEN Scanner

Scanned with OKEN Scanner

Scanned with OKEN Scanner

महाराष्ट्र MAHARASHTRA 2025

10637 9/10/24

EMORANDUM , OF UNDERSTANDING

Party No 01 :- Dr D B Joshi

, Shivaji Nagar Nanded

Party No 02 :- DeepgangaMagaswargiyaShikshan

PrasarkMandal , Through Dr Sanjay Padalwar

That Party no 01 is running hospital name Joshi Hospital at nanded & party no 02 is having trust / society name as Deepganga Magaswargiya ShikshanPrasark Mandal , Nnaded.

That Party No 01 giving permission to that student of party no 02 guru Govind singh Memorial College Of Nursing (M.Sc Nursing ,P.B.B.ScNursing ,B.Sc Nursing) Under Deep ganga Magaswargiya Shikshan Prasark Mandal , For Clinical Permission in Chidrawar super Specialty Hospital For five Year .

That Above MOU is Written by party no 01 & Party No 02With free Will

NOTARY ★ GOVERNMENT OF INDIA ★

"BEFORE ME"

Madhukar Kulkarni
Advocate & Notary
(Appointed by Govt.of India)
Nanded Dist.Nanded (M.S)
Cell No 9503206073

नांदेड वाघाला शहर महानगरपालिका, नांदेड.
NANDED WAGHALA CITY MUNICIPAL CORPORATION, NANDED.



बॉम्बे नर्सिंग होम नोंदणी कायदा, १९४९ अन्वये दिलेले नोंदणी प्रमाणपत्र
Certificate of Registration under Section 6 of the
Bombay Nursing Homes Registration Act, 1949
(नियम ६ अन्वये) (Under Rule 6)

बॉम्बे सुश्रुषा गृह नोंदणी कायदा, १९४९ अन्वये श्री / श्रीमती Dr. D. B. Joshi यांचे

येथील सुश्रुषा गृह / प्रसूती गृह नोंदणी केले असून सदरचे सुश्रुषा गृह व प्रसूतीगृह चालविण्यास परवाना देण्यात येत आहे.

This is to Certify that Shri / Shrimati Dr. D. B. Joshi has been registered under Bombay Nursing Homes Registration Act, 1949 in respect of Joshi Hospital situated at Nanded and has been authorised to carry on the said Nursing Home.

नोंदणी क्रमांक : 0912
Registration No.

नोंदणी दिनांक : 30/10/06
Date of Registration

प्रसूती खाटांची संख्या : Nil
Maternity No. of Cots

इतर रुग्णांसाठी खाटांची संख्या : - 20 -
Other Nursing Patients No. of Cots

ठिकाण : Place : NANDED

प्रमाणपत्र दिल्याचा दिनांक : Nanded
Date of Issure of Certificate

सदरचे प्रमाणपत्राची वैधता दिनांक ३१ मार्च, ... पर्यंत राहील.
This Certificate shall be valid up to 31 March 2028

वैद्यकिय आरोग्य अधिकारी,
नांदेड वाघाला शहर महानगरपालिका, नांदेड.
Medical Health Officer,
Nanded Waghala City Municipal
Corporation, Nanded.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 02462 - 242492
Fax: 02462 - 242492
Website: http://mpcb.gov.in
Email: sronanded@mpcb.gov.in

Lahoti Complex, 2nd Floor,
Near Shivaji Statue,
Vajirabad, Nanded - 431601

ORANGE/

Date: 14/02/2023

No:- Format1.0/SRO/UAN No.0000161055/CO/2302001005

To,
JOSHI HOSPITAL SHIVAJI NAGAR NANDED
PLOT NO. 80, NEAR RAILWAY OVERBRIDGE, SHIVAJI NAGAR, NANDED
TQ. & DIST. NANDED
-431602
Email:dibha.joshi58@gmail.com
Contact No.:9422170120

Your Service is Our Duty

Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization dated 02/02/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-12-2022** To **31-12-2026**

Scanned with OKEN Scanner

Annexure - I

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	1.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Scanned with OKEN Scanner

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
   a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
   b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
   c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
   d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
   e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
   f. D.G. Set shall be operated only in case of power failure.
   g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
   h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quallty standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and nlght tlme is reckoned between 10 p.m. and 6 a.m.

Scanned with OKEN Scanner

SCHEDULE

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of Bio-Medical Waste waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment
1	Yellow.	a) Human Anatomical waste	0.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	0.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	0.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
3	White (Translucent)	Waste sharps including Metals	0.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded Nanded
		b) Metallic body implants	0.00		

Scanned with OKEN Scanner

SCHEDULE-II

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygenic Disposal (India) Pvt Ltd - Nanded, Nanded** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Aurangabad and uploading the same to MPCB Portal (https://www.ecmpcb.in/).

Scanned with OKEN Scanner

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Aurangabad.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

Scanned with OKEN Scanner

You shall submit an official e-mail address and any change will be duly informed to MPCB.

You shall observe provisions of E-waste (Management) Rules 2016 & as amended t to time and Batteries (Management and Handling) Amendment Rules, 2010.

An inspection book shall be opened and made available to the Board's officers du their visit to the HCE.

In case you use/ handle/ generate the cytotoxic waste you shall strictly adhave to standards/ SOPs applicable and waste shall be labelled specifically as "Cytot Waste" with symbol on waste containers/ bags and shall handover to BMW CTF

You shall obtain required permissions from competent authority for radio ac material user/ handling/ disposal of waste before commencement of such activity.

The Energy source for lighting purpose shall preferably be LED based.

You shall harvest rainwater from roof tops of the buildings and storm water drair recharge the ground water and utilize the same for different industrial applicat within the plant

You shall provide personal protection equipment as per norms of Factory Act 1948

You are responsible to submit application for renewal of Combined Consel Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

Scanned with OKEN Scanner

जाक्र.नावाणमनपा/आवि/जंद/32/2026
नांदेड वाघाळा शहर महानगरपालिका नांदेड
दिनांक :- 02/02/2026

प्रति,
प्राचार्य,
श्री.गुरुगोविंदसिंग मेमोरियल,
स्कूल ऑफ नर्सिंग,
नांदेड.

विषय :- आरोग्य केंद्र शहरी (UPHC) प्रात्याक्षिक अनुभवासाठी नवीन प्रशिक्षणार्थीना सार्वजनिक आरोग्य विभागातील शहरी केंद्रात प्रात्याक्षिक अनुभवासाठी परवानगी देणे बाबत

संदर्भ :- आपले पत्र जाक्र. दि. 08/01/2026

उपरोक्त संदर्भिय विषया नूसार आपले पत्र प्राप्त झाले असून नांदेड वाघाळा शहर महानगरपालिका नांदेड अंतर्गत शहरी आरोग्य केंद्रात व परिसरात आपल्या विद्यार्थ्यांना प्रशिक्षण कार्यक्रम दरम्यान सर्व्हे करण्याची अनूमती देण्यात येत आहे.

वैद्यकिय आरोग्य अधिकारी
नांदेड वाघाळा शहर महानगरपालिका, नांदेड

Scanned with OKEN Scanner

आरोग्य सेवा आयुक्तालय ,(महाराष्ट्र राज्य)
आरोग्य भवन, ६वा मजला, सेंट जॉर्जेस् रुग्णालय, आवार, पी·डिमेलो रोड, मुंबई ४०० ००१

कार्यालय	दूरध्वनी	Website : http://maha-arogya.gov.in Email : jdhs03@gmail.com
आयुक्त, आरोग्य सेवा	२२६२ ०२३५	
संचालक (वैयक्तिक)	२२६२१००६	
सहसंचालक (रुग्णालये)	२२६११४७१	

क्र.आरसेआ/कक्ष-३/टे-१/प्रात्य. अनुभव /परवानगी /प्राचार्य, गुरु गो. मेमो.स्कूल ऑ.न. लोटस कॅ. नांदेड दिनांक.१८/२/२०२६

विषय- खाजगी निमवैदयकिय संस्थेला अनुभवाकरीता परवानगी मिळणेबाबत.

प्राचार्य, गुरु गोविंदसिंग मेमोरिअल स्कुल ऑफ नर्सिंग, लोटस कॅम्पस
धनगरवाडी ता.जि.नांदेड

संदर्भ-१) सार्वजनिक आरोग्य विभाग आ-४ यांचे शासन निर्णय क्र. प्राअसं-२०१२/ ६३९/प्र.क्र.११७/आरोग्य -४,मंत्रलाय ,मुंबई दिनांक १८.९.२०१२

२) शासन शुध्दीपत्रक सार्वजनिक आरोग्य विभाग, आ-४ यांचे शासन क्र.प्राअसं-२०१२/६३९/प्र.क्र.११७/आरोग्य-४,मंत्रालय,मुंबई,दि.२०.११.२०१२

३)उपसंचालक आरोग्य सेवा, लातुर मंडळ, लातुर यांचे पत्र जा.क्र.उसंआसे/ आस्था-३/खाजगीसंस्था/ प्रात्यक्षिक /परवानगी /१३८-४१/२५ दिनांक ०४.०९.२०२५

उपरोक्त विषयांकित संदर्भिय पत्रान्वये उपसंचालक आरोग्य सेवा, लातुर मंडळ,लातुर यांचेकडून प्राचार्य, गुरु गोविंदसिंग मेमोरिअल स्कुल ऑफ नर्सिंग, लोटस कॅम्पस धनगरवाडी ता. जि. नांदेड या संस्थेचा प्रात्यक्षिक अनुभवासाठी परवानगी मिळणेबाबतचा प्रस्ताव या आयुक्तालयास प्राप्त झालेला आहे.

सदर खाजगी संस्थेतील बी.एस्सी ६० विद्यार्थी/विद्यार्थीनींना प्रात्यक्षिक अनुभवासाठी प्राथमिक आरोग्य केंद्र, निळा, सोनखेड, कलंबर , तुप्पा, कापसी, रहाटी, वडगांव, अर्धापूर, लिंमगांव, उस्माननगर ता.जि. नांदेड येथे संदर्भीय शासन निर्णयातील अटी व शर्ती आणि उपंसचालक आरोग्य सेवा,लातुर मंडळ, लातुर यांच्या शिफारशीच्या अधिन राहुन सन **2025-26** या शैक्षणिक वर्ष करीता प्रथम वर्ष साठी परवानगी प्रदान करण्यात येत आहे.

१ सार्वजनिक आरोग्य विभाग आणि वैदयकिय शिक्षण व औषधी द्रव्ये विभाग यांनी सध्या निर्देशित अटी व शर्तीचे पालन करणे संस्थेवर बंधनकारक राहील.

२ या शैक्षणिक वर्ष नंतर सदर परवानगी ची प्रथम मूदत वाढ संबंधित,जिल्हा आरोग्य अधिकारी , जिल्हा परिषद, नांदेड यांच्याकडुन घेण्यात यावी यांनी सन **2026-27** व **2027-28** या शैक्षणिक वर्षासाठी नियमानुसार मूदतवाढ प्रदान करावी.

Received
J C Shende
वैद्यकिय अधिकारी
प्राथमिक आरोग्य केंद्र नि
ता जि.नांदेड

Scanned with OKEN Scanner